Index

Orig. Art Original Article *Clin. Rec.* Clinical Record

AUTHORS

Abdel-Kreem, A., Abou Seif, S., Yakout, Y. M. and Elwany, S. Radiological findings in lipoid proteinosis. *Orig. Art.*, 259.

Abdel-Kreim, A., Talaat, M. and Elwany, S. Relevance of the conventional Waters' view in evaluating chronic bacterial maxillary sinusitis. *Orig. Art.*, 1233.

Abou Seif, S., Yakout, Y. M., Elwany, S. and Abdel-Kreem, A. Radiological findings in lipoid proteinosis. *Orig. Art.*, 259.

Abril, A., Gavilán, C. and Gavilán, J. Vestibular response in denatured rape oil intoxication. *Orig. Art.*, 973.

Agarwal, B. K., Chatterji, P. and Soni, N. K. Myxoma of the jaw. *Clin. Rec.*, 391.

Agostini, V., Fini-Storchi, O. and Lo Russo, D. 'Pseudotumors' of the clavicle subsequent to radical neck dissection. *Orig. Art.*, 73.

Al Samarrae, S. M., Amr, S. S. and Hyams, V. J. Polypoid lymphangioma of the tonsil. *Clin. Rec.*, 819.

Alajmo, E. and Salimbeni, C. Laryngostroboscopic observations by means of inferior glottoscopy. *Orig. Art.*, 801.

Alajmo, E., Polli, G. and Salimbeni, C. Reconstructive laryngectomy. *Orig. Art.*, 463.

Albert, D. M. and Ali, Z. Two cases of vallecular cyst presenting with acute stridor. *Clin. Rec.*, 421.

Albrektsson, T. and Tjellström, A. A five-year follow-up of preformed, autologous ossicles in tympanoplasty. *Orig. Art.*, 729.

Ali, Z. and Albert, D. M. Two cases of vallecular cyst presenting with acute stridor. *Clin. Rec.*, 421.

Amatya, R. C., Kacker, S. K. and Bahadur, S. The enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa. *Orig. Art.*, 763.

Amr, S. S., Hyams, V. J. and Al Samarrae, S. M. Polypoid lymphangioma of the tonsil. *Clin. Rec.*, 819.

Andersen, J., Jacobsen, P. and Kristensen, S. Squamous odontogenic tumour. *Clin. Rec.*, 919.

Anderson, K. R., Stegehuis, H. R. and Guy, A. M. Middle-ear lipoma presenting as airways obstruction. *Clin. Rec.*, 589.

Ardran, G. M. and Crowther, J. A. Dysphagia due to cervical spondylosis. *Clin. Rec.*, 1167.

Atherino, C. C. T., Garcia, R. and Lopes, L. J. Ectopic meningioma of the nose and paranasal sinuses. *Clin. Rec.*, 1161.

Baarsma, E. A., Kazzaz, B. and Soei, K. I. Secondary syphilis of the tonsils. *Clin. Rec.*, 601.

Babington, P. and Donnelly, J. P. Use of a nasopharyngeal airway as an aid to easy recovery after nasal surgery. *Clin. Rec.*, 399.

Bagley, J., Randall, C. and Stafford, N. Assessment of bullet injuries in the neck. *Clin. Rec.*, 1315.

Bahadur, S., Amatya, R. C. and Kacker, S. K. The enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa. *Orig. Art.*, 763.

Bahadur, S., Iyer, S. and Kacker, S. K. The thyroid gland in the management of carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 1251.

Bailey, C. M. and Wadsworth, P. V. Treatment of the drooling child by submandibular duct transposition. *Orig. Art.*, 1111.

Bailey, C. M., Smith, M. C. F. and Smith, R. J. H. Primary cervical neuroblastoma in infants. *Clin. Rec.*, 209.

Bakhshi, K. N., Osborne, J., Collins, M. P. and Church, M. K. Adenoid histamine and its possible relationship to secretory otitis media. *Orig. Art.*, 685.

Balle, V. H. and Bretlau, P. Remediastinoscopy. *Orig. Art.*, 267.

Balle, V. H. and Bretlau, P. Tracheostomal stenosis following total laryngectomy. *Orig. Art.*, 577.

Balm, A. J. M., Tiwari, R. M. and de Rijcke, Th. B. M. Osteomyelitis in the head and neck. *Clin. Rec.*, 1059.

Banfai, P., Hortmann, G., Kubik, S., Karczag, A., Lüers, P. and Sürth, W. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.

Bang, G. and Liavaag, P. G. Dermal type cylindroma of the parotid gland with malignant transformation. *Clin. Rec.*, 1049.

Baraka, M. E. and Sadek, S. A. A. Carcinomatous changes in pharyngeal diverticula. *Clin. Rec.*, 297.

Baraka, M. E., Jones, P. H., Nassar, W. Y. and Sadek, S. A. A. Intralaryngeal arytenoidectomy. *Clin. Rec.*, 513.

Baraka, M. E., Didhom, N. N., Sadek, S. A. A., Dogra, T. S. and Khan, M. K. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.
Barbara, M. and Filipo, R. Juvenile Menière's disease. *Clin. Rec.*, 193.
Barbatis, C., Salama, N. Y., Gleeson, M. J. and Siodlak, M. Z. Kikuchi's—a new cause of cervical lymphadenopathy. *Clin. Rec.*, 935.
Barton, R. P. E. Metachranous chondrosarcoma and malignant melanoma of the nose. *Clin. Rec.*, 497.
Baskill, J. L., Sheldrake, J. B. and Coles, R. R. A. Measurement and management of tinnitus. Part II. *Orig. Art.*, 1.
Batch, A. J. G. The role of fibreoptic oesophagogastroscopy in E.N.T. practice. *Orig. Art.*, 783.
Beg, M. H. A. and Marfani, S. The larynx in pulmonary tuberculosis. *Clin. Rec.*, 201.
Belal, A., Jr. Metastatic tumours of the temporal bone. *Orig. Art.*, 839.
Ben-David, J., Grishkan, A., Fradis, M. and Podoshin, L. Eosinophilic granuloma of the temporal bone. *Clin. Rec.*, 475.
Bende, M. and Flisberg, K. Blood flow in nasal polyps. *Orig. Art.*, 167.
Berezowski, B. M., McIntosh, W. A. and Lownie, J. F. Haemangioma of the mandible. *Clin. Rec.*, 913.
Betow, C. H. and Zenev, I. Scanning electronic microscopy of sialit-preserved total middle-ear grafts. *Orig. Art.*, 1201.
Bharucha, H., Gormley, P. K. and Primrose, W. J. Subglottic plasmacytoma of the larynx: an acute presentation. *Clin. Rec.*, 925.
Black, N. Causes of glue ear. *Orig. Art.*, 953.
Bonding, P., Vimpel, T. and Felding, J. U. The value of X-ray examination of the paranasal sinuses after epistaxis. *Orig. Art.*, 253.
Boss, H., Samet, A., Podoshin, L., Fradis, M., Simon, J. and Lazarov, N. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
Bowdler, D. A. and Emery, P. J. Tracheostomy tube fatigue. *Clin. Rec.*, 517.
Bowlder, D. A. and Knight, J. R. A benign middle-ear adenoma producing facial paralysis. *Clin. Rec.*, 809.
Bowlder, D. A. and Knight, J. R. Lingual claudication and necrosis as a complication of giant cell arteritis. *Clin. Rec.*, 417.
Bradley, P. J. and Singh, S. D. Nasal glioma. *Orig. Art.*, 247.
Brama, I. Congenital neural hearing-loss due to inner ear malformation. *Clin. Rec.*, 293.
Breach, N. C. and Narula, A. A. The use of the latissimus dorsi muscle flap for posterior scalp defects. *Orig. Art.*, 693.
Brennan, W. J. and Clark, G. M. An animal model of acute otitis media and the histopathological assessment of a cochlear implant in the cat. *Orig. Art.*, 851.
Bretlau, P. and Balle, V. H. Remediastinoscopy. *Orig. Art.*, 267.
Bretlau, P. and Balle, V. H. Tracheostomal stenosis following total laryngectomy. *Orig. Art.*, 577.
Brodie, S. W. and Chaurasia, M. K. A rare intracranial complication of cholesterol granuloma. *Clin. Rec.*, 491.
Brookes, G. B. and Marks, P. V. Myelomatosis presenting as an isolated lesion in the mastoid. *Clin. Rec.*, 903.
Brooks, D. N. Fenestration: A twenty-five-year evaluation. *Orig. Art.*, 225.
Brown, A. M., Clark, G. M. Dowell, R. C., Martin, L. F. A. and Seligman, P. M. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
Browne, R. M., Tranter, R. M. D. and Frame, J. W. The healing of CO_2 laser wounds of the larynx. *Orig. Art.*, 895.
Browning, G. G., Swan, I. R. C. and Gatehouse, S. The doubtful value of tympanometry in the diagnosis of otosclerosis. *Orig. Art.*, 545.
Buller, N., Laurian, N., Shvili, Y. and Zohar, Y. Conservative surgical management of invasive differentiated thyroid cancer. *Orig. Art.*, 1255.
Bulman, C. H., Kane, R. J. and Srivastva, V. N. The ENT manifestations of systemic vasculitis. *Clin. Rec.*, 941.

Cagnoli, A., Rucci, L. and Pantaleo, T. Tympanometric variations induced by Vidian nerve stimulation in humans. *Orig. Art.*, 355.
Calabrese, V., Croce, A., de Campora, E., Camaioni, A., Corradini, C. and D'Agnone, N. Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
Camaioni, A., Corradini, C., D'Agnone, N., Calabrese, V., Croce, A. and de Campora, E. Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
Canter, R. J. and Rogers, J. Tonsillectomy: Home after 24 hours? *Orig. Art.*, 177.
Carlsöö, B. and Gustafsson, H. Multiple acinic cell carcinoma. *Clin. Rec.*, 1183.
Carruth, J. A. S. Laryngeal microsurgery with the Carbon Dioxide laser. *Orig. Art.*, 573.
Carruth, J. A. S. Resection of the tongue with the carbon dioxide laser: 100 cases. *Orig. Art.*, 887.
Chandran, M., Hazarika, P. and Nayak, R. G. Extra-nasopharyngeal extension of juvenile angiofibroma. *Clin. Rec.*, 813.

Charles, P., Pedersen, U., Melsen, F. and Elbrønd, O. Histopathology of the stapes in osteogenesis imperfecta. *Orig. Art.*, 451.
Chatterji, P., Soni, N. K. and Agarwal, B. K. Myxoma of the jaw. *Clin. Rec.*, 391.
Chaurasia, M. K. and Brodie, S. W. A rare intracranial complication of cholesterol granuloma. *Clin. Rec.*, 491.
Choa, D. I. and Ludman, H. Hemifacial spasm: Operative treatment. *Orig. Art.*, 239.
Church, M. K., Bakhshi, K. N., Osborne, J. and Collins, M. P. Adenoid histamine and its possible relationship to secretory otitis media. *Orig. Art.*, 685.
Clark, G. M. and Brennan, W. J. An animal model of acute otitis media and the histopathological assessment of a cochlear implant in the cat. *Orig. Art.*, 851.
Clark, G. M., Dowell, R. C., Martin, L. F. A., Seligman, P. M. and Brown, A. M. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
Coakley, J. F. Primary oat cell carcinoma of the larynx. *Clin. Rec.*, 301.
Cohen, M., Hertzanu, Y., Mendelsohn, D. B. and Davidge-Pitts, K. Preoperative embolization in paediatric maxillofacial haemangiomas. *Orig. Art.*, 1089.
Cole, P., Mackay, I., Greenstone, M. and Stanley, P. Upper airway manifestations of primary ciliary dyskinesia. *Orig. Art.*, 985.
Coleman, M., Davis, A. E. and Maw, A. R. Acoustic brainstem electrial responses in congenital nystagmus. *Orig. Art.*, 147.
Coles, R. R. A., Baskill, J. L. and Sheldrake, J. B. Measurement and management of tinnitus. Part II. *Orig. Art.*, 1.
Collins, M. P. Abscess of the nasal septum complicating isolated acute sphenoiditis. *Clin. Rec.*, 715.
Collins, M. P., Church, M. K., Bakhshi, K. N. and Osborne, J. Adenoid histamine and its possible relationship to secretory otitis media. *Orig. Art.*, 685.
Colosimo, C., Jr., Moschini, M., Malena, S., Gugliantini, P. and Fileni, A. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
Coman, W. B., Mills, C., McCafferty, G. J. and Lewis, A. N. A nine-year study of ear disease in Australian Aboriginal children. *Orig. Art.*, 117.
Comis, S. D., Osborne, M. P., Pickles, J. O., Jeffries, D. J. R. and Rhys Evans, P. H. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.
Cooke, E. T. M. An evaluation and clinical study of severe epistaxis treated by arterial ligation. *Orig. Art.*, 745.
Corradini, C., D'Agnone, N., Calabrese, V., Croce, A., de Campora, E. and Camaioni, A. Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
Couldery, A. D. and Spencer, M. G. Nasal tooth. *Clin. Rec.*, 1147.
Crawford, M., Nielsen F. and Kristensen, S. Prominent ears: A follow-up study. *Orig. Art.*, 221.
Cremers, C. W. R. J. Osteoma of the middle ear. *Clin. Rec.*, 383.
Croce, A., de Campora, E., Camaioni, A., Corradini, C., D'Agnone, N. and Calabrese, V. Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
Crow, J., Watts, R. W. E., Friedmann, I. and Spellacy, E. Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]. *Orig. Art.*, 29.
Crowther, J. A. and Ardran, G. M. Dysphagia due to cervical spondylosis. *Clin. Rec.*, 1167.
Cummings, C. W. and Marks, N. J. The levator scapulae muscle flap. *Orig. Art.*, 471.
Cutchavaree, A. and Jimakorn, P. Synovial sarcoma of the hypopharynx. *Clin. Rec.*, 205.
D'Agnone, N., Calabrese, V., Croce, A., de Campora, E., Camaioni, A. and Corradini, C. Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
Das Gupta, A. R., Kent, S. E. and Liu, K. C. Post-laryngectomy pharyngo-cutaneous fistulae. *Orig. Art.*, 1005.
Davidge-Pitts, K., Cohen, M., Hertzanu, Y. and Mendelsohn, D. B. Preoperative embolization in paediatric maxillofacial haemangiomas. *Orig. Art.*, 1089.
Davies, D. M., Walsh-Waring, G. P., Hodge, R. A., Matthews, R. N. and Eyre, J. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
Davis, A. E., Maw, A. R. and Coleman, M. Acoustic brainstem electrical responses in congenital nystagmus. *Orig. Art.*, 147.
Dawes, J. D. K. and Welch, A. R. Suboccipital approach in the removal of acoustic neuromas. *Orig. Art.*, 1217.
de Campora, E., Camaioni, A., Corradini, C., D'Agnone, N., Calabrese, V. and Croce, A. Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
de Rijcke, Th. B. M., Balm, A. J. M. and Tiwari, R. M. Osteomyelitis in the head and neck. *Clin. Rec.*, 1059.
Debruyne, F. Lateral sinus thrombosis in the eighties. *Clin. Rec.*, 91.
Deguchi, K., Sugita, R. and Fujimaki, Y. Bacteriological features and chemotherapy of adult acute purulent otitis media. *Orig. Art.*, 629.
Delogu, P., Magnani, M., Zini, C., Sanna, M., Gamoletti, R. and Scandellari, R. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
Dogra, T. S., Khan, M. K., Baraka, M. E., Sidhom, N. N. and Sadek, S. A. A. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.

Donnelly, J. P. The out-patient use of the fibrebronchoscope for examining the larynx. *Orig. Art.*, 793.
Donnelly, J. P. and Babington, P. Use of a nasopharyngeal airway as an aid to easy recovery after nasal surgery. *Clin. Rec.*, 399.
Dowell, R. C., Martin, L. F. A., Seligman, P. M., Brown, A. M. and Clark, G. M. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
Drake-Lee, A. B. and Mitchell, D. B. Chronic non-specific granulomatous epiglottitis. *Clin. Rec.*, 1305.
Dutton, J. E. M., Ramsden, R. T., Latif, A. and Lye, R. H. Endaural cerebral hernia. *Orig. Art.*, 643.

East, D. Mucocoeles of the maxillary antrum. *Orig. Art.*, 49.
Elbrønd, O., Charles, P., Pedersen, U. and Melsen, F. Histopathology of the stapes in osteogenesis imperfecta. *Orig. Art.*, 451.
Elidan, J., Michel, J., Gay, I. and Springer, H. Ear involvement in human brucellosis. *Clin. Rec.*, 289.
Elwany, S. Delayed ultrastructural radiation induced changes in the human mesotympanic middle ear mucosa. *Orig. Art.*, 343.
Elwany, S. Histochemical study of cartilage autografts in tympanoplasty. *Orig. Art.*, 637.
Elwany, S., Abdel-Kreem, A., Abou Seif, S. and Yakout, Y. M. Radiological findings in lipoid proteinosis. *Orig. Art.*, 259.
Elwany, S., Abdel-Kreem, A. and Talaat, M. Relevance of the conventional Waters' view in evaluating chronic bacterial maxillary sinusitis. *Orig. Art.*, 1233.
Emery, P. J. and Bowlder, D. A. Tracheostomy tube fatigue. *Clin. Rec.*, 517.
Eyal, A. and Tovi, F. Branched and polycystic thyroglossal duct anomaly. *Clin. Rec.*, 1179.
Eyre, J., Davies, D. M., Walsh-Waring, G. P., Hodge, R. A. and Matthews, R. N. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.

Felding, J. U., Bonding, P. and Vimpel, T. The value of X-ray examination of the paranasal sinuses after epistaxis. *Orig. Art.*, 253.
Ferguson, I. T., Ramsden, R. T. and Lythgoe, M. Brain stem auditory evoked potentials and blink reflexes in multiple sclerosis. *Orig. Art.*, 677.
Fileni, A., Colosimo, C., Jr., Moschini, M., Malena, S. and Gugliantini, P. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
Filipo, R. and Barbara, M. Juvenile Menière's disease. *Clin. Rec.*, 193.
Fini-Storchi, O., Lo Russo, D. and Agostini, V. 'Pseudotumors' of the clavicle subsequent to radical neck dissection. *Orig. Art.*, 73.
Flisberg, K. and Bende, M. Blood flow in nasal polyps. *Orig. Art.*, 167.
Flood, L. M., Fraser, J. G., Hazell, J. W. P. and Rothera, M. P. Perilymph fistula. *Orig. Art.*, 671
Flood, L. M., Kemink, J. L. and Graham, M. D. The investigation and management of petrous apex erosion. *Orig. Art.*, 439.
Fradis, M., Podoshin, L. Ben-David, J. and Grishkan, A. Eosinophilic granuloma of the temporal bone. *Clin. Rec.*, 475.
Fradis, M., Simon, J., Lazarov, N., Boss, H., Samet, A. and Podoshin, L. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
Frame, J. W., Browne, R. M. and Tranter, R. M. D. The healing of CO_2 laser wounds of the larynx. *Orig. Art.*, 895.
Franks, L. M. and Gołąbek, W. Lactate dehydrogenase in human maxillary adenocarcinoma and the experimental adenocarcinoma in mice. *Orig. Art.*, 171.
Fraser, J. G., Hazell, J. W. P., Rothera, M. P. and Flood, L. M. Perilymph fistula. *Orig. Art.*, 671.
French, D. A. and Moussa, S. A. Microsurgical reconstruction of the trachea in rats. *Orig. Art.*, 61.
Friedmann, I., Marquet, J. and Van Goethem, H. Tactile neurofibroma of the stapedial nerve. *Clin. Rec.*, 187.
Friedmann, I., Spellacy, E., Crow, J. and Watts, R. W. E. Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]. *Orig. Art.*, 29.
Fujimaki, Y., Deguchi, K. and Sugita, R. Bacteriological features and chemotherapy of adult acute purulent otitis media. *Orig. Art.*, 629.

Gamoletti, R., Scandellari, R., Delogu, P., Magnani, M., Zini, C. and Sanna, M. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
Garcia, R., Lopes, L. J. and Atherino, C. C. T. Ectopic meningioma of the nose and paranasal sinuses. *Clin. Rec.*, 1161.
Garty, I., Rosen, G. and Holdstein, Y. The radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO). *Orig. Art.*, 109.
Garzuzi, H., Rosen, G., Rakover, Y. and Vered, I. Rhinocerebral phycomycosis: combined approach therapy. *Clin. Rec.*, 1279.

Gatehouse, S., Browning, G. G. and Swan, I. R. C. The doubtful value of tympanometry in the diagnosis of otosclerosis. *Orig. Art.*, 545.
Gavilán, C., Gavilán, J. and Abril, A. Vestibular response in denatured rape oil intoxication. *Orig. Art.*, 973.
Gavilán, C., Sarriá, M. J. and Gavilán, J. Facial electroneurography. *Orig. Art.*, 1085.
Gavilán, J., Abril, A. and Gavilán, C. Vestibular response in denatured rape oil intoxication. *Orig. Art.*, 973.
Gavilán, J., Gavilán, C. and Sarriá, M. J. Facial electroneurography. *Orig. Art.*, 1085.
Gay, I., Lijovetzky, G. and Zaarrura, S. Leidomyoma of the nasal cavity. *Clin. Rec.*, 197.
Gay, I., Springer, H., Elidan, J. and Michel, J. Ear involvement in human brucellosis. *Clin. Rec.*, 289.
Gertler, R. and Ramages, L. Tuberculous laryngitis—a one year harvest. *Orig. Art.*, 1119.
Gertler, R. and Ramages, L. J. Aural tuberculosis: a series of 25 patients. *Orig. Art.*, 1073.
Ghorayeb, B. Y. and Shikhani, A. H. The use of dexamethasone in pediatric bronchoscopy. *Orig. Art.*, 1127.
Gleeson, M. J., Siodlak, M. Z. and Wengraf, C. L. Fibre optic guided nasal intubation—shouldn't we be the experts? *Orig. Art.*, 775.
Gleeson, M. J., Siodlak, M. Z., Barbatis, C. and Salama, N. Y. Kikuchi's—a new cause of cervical lymphadenopathy. *Clin. Rec.*, 935.
Gołąbek, W. and Franks, L. M. Lactate dehydrogenase in human maxillary adenocarcinoma and in experimental adenocarcinoma in mice. *Orig. Art.*, 171.
Golding-Wood, D. G. and Randall, C. J. Pouch formation in the interposed colon. *Clin. Rec.*, 1043.
Gormley, P. K., Primrose, W. J. and Bharucha, H. Subglottic plasmacytoma of the larynx: an acute presentation. *Clin. Rec.*, 925.
Graamans, K. and Lubsen, H. Clinical implications of laryngeal amyloidosis. *Clin. Rec.*, 617.
Graham, M. D., Flood, L. M. and Kemink, J. L. The investigation and management of petrous apex erosion. *Orig. Art.*, 439.
Grahne, B., Lamberg, B.-A., Rinne, J., Pelkonen, R., Liesmaa, M. and Tommila, V. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
Grant, H. R. and Rothera, M. P. Long-term ventilation of the middle ear using the Goode T-Tube. *Orig. Art.*, 335.
Greenstone, M., Stanley, P., Cole, P. and Mackay, I. Upper airway manifestations of primary ciliary dyskinesia. *Orig. Art.*, 985.
Gresham, G. A., Wight, D. G. D. and Russell, G. A. Acute epiglottitis in adults not due to haemophilus. *Clin. Rec.*, 1035.
Grewal, D. S., Hiranandani, N. L. and Kalgutkar, J. S. Congenital absence of the palatine tonsil associated with congenital malformation of the external ear. *Clin. Rec.*, 285.
Grishkan, A., Fradis, M., Podoshin, L. and Ben-David, J. Eosinophic granuloma of the temporal bone. *Clin. Rec.*, 475.
Grymer, L. F., Gutierrez, C. and Stoksted, P. Nasal fractures in children: influence on the development of the nose. *Orig. Art.*, 735.
Grymer, L. F., Gutierrez, C. and Stoksted, P. The importance of nasal fractures during different growth periods of the nose. *Orig. Art.*, 741.
Gugliantini, P., Fileni, A., Colosimo, C., Jr., Moschini, M. and Malena, S. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
Gulati, A., Mann, S. B. S., Nayar, R. C. and Mathur, R. P. Orbital apex syndrome due to rhinoscleroma. *Clin. Rec.*, 597.
Gupta, S. C. Septoplasty in unilateral atrophic rhinitis with deviated nasal septum. *Orig. Art.*, 163.
Gustafsson, H. and Carlsöö, B. Multiple acinic cell carcinoma. *Clin. Rec.*, 1183.
Gutierrez, C., Stoksted, P. and Grymer, L. F. Nasal fractures in children: influence on the development of the nose. *Orig. Art.*, 735.
Gutierrez, C., Stoksted, P. and Grymer, L. F. The importance of nasal fractures during different growth periods of the nose. *Orig. Art.*, 741.
Guy, A. M., Anderson, K. R. and Stegehuis, H. R. Middle-ear lipoma presenting as airways obstruction. *Clin. Rec.*, 589.

Har-El, G., Zirkin, H. Y., Tovi, F. and Sidi, J. Congenital pleomorphic adenoma of the nasopharynx. *Clin. Rec.*, 1281.
Harada, Y., Ishida, M., Wada, H., Ohta, M., Sakoda, K., Uozumi, T. and Suzuki, M. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
Hardcastle, P. and Singh, W. Near-total laryngectomy with myo-mucosal valved neoglottis. *Orig. Art.*, 581.
Hasegawa, M., Nishijima, W., Watanabe, I., Nasu, M. and Kamiyama, R. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
Hazarika, P., Nayak, R. G. and Chandran, M. Extra-nasopharyngeal extension of juvenile angiofibroma. *Clin. Rec.*, 813.
Hazell, J. W. P., Rothera, M. P., Flood, L. M. and Fraser, J. G. Perilymph fistula. *Orig. Art.*, 671.

Hertzanu, Y., Mendelsohn, D. B., Davidge-Pitts, K. and Cohen, M. Preoperative embolization in paediatric maxillofacial haemangiomas. *Orig. Art.*, 1089.
High, A. S. and Kay, N. J. Solitary neurogenic sarcoma of the nose. *Clin. Rec.*, 1151.
Hiraide, F., Inouye, T. and Tanaka, E. Lymphangiectatic fibrous polyp of the palatine tonsil. *Clin. Rec.*, 403.
Hiranandani, N. L., Kalgutkar, J. S. and Grewal, D. S. Congenital absence of the palatine tonsil associated with congenital malformation of the external ear. *Clin. Rec.*, 285.
Hirano, M., Yoshida, T., Tateishi, O. and Yoshida, Y. Strobofibrescopic colour video recording of vocal fold vibration. *Orig. Art.*, 795.
Hodge, R. A., Matthews, R. N., Eyre, J., Davies, D. M. and Walsh-Waring, G. P. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
Holdstein, Y., Garty, I. and Rosen, G. The radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO). *Orig. Art.*, 109.
Hortmann, G., Kubik, S., Karczag, A., Lüers, P., Sürth, W. and Banfai, P. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
Howard, D. J. Life-threatening epistaxis in pregnancy. *Clin. Rec.*, 95.
Howard, D. J. and Lund, V. J. Primary Ewing's sarcoma of the ethmoid bone. *Clin. Rec.*, 1019.
Howard, D. J. and Lund, V. J. Skin grafting of the anterior stomach wall following pharyngo-gastric anastomosis. *Orig. Art.*, 273.
Hyams, V. J., Al Samarrae, S. M. and Amr, S. S. Polypoid lymphangioma of the tonsil. *Clin. Rec.*, 819.

Inouye, T., Tanaka, E. and Hiraide, F. Lymphangiectatic fibrous polyp of the palatine tonsil. *Clin. Rec.*, 403.
Irwin, B. C. An unusual para-oesophageal mass. *Clin. Rec.*, 931.
Ishida, M., Wada, H., Ohta, M., Sakoda, K., Uozumi, T., Suzuki, M. and Harada, Y. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
Iyer, S., Kacker, S. K. and Bahadur, S. The thyroid gland in the management of carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 1251.

Jackson, P. A comparison of the effects of eighth nerve section with lidocaine on tinnitus. *Orig. Art.*, 663.
Jackson, P. Electrocochleographic findings and the effects of lidocaine on tinnitis in non-hearing ears. *Orig. Art.*, 667.
Jackson, P. and Perucca, E. A controlled study of the suppression of tinnitus by lidocaine infusion. *Orig. Art.*, 657.
Jacobsen, P., Kristensen, S. and Andersen, J. Squamous odontogenic tumour. *Clin. Rec.*, 919.
Jefferis, A. F. and Jonathan, D. A. Fibrodysplasia ossificans progressiva presenting acutely as a submandibular swelling. *Clin. Rec.*, 721.
Jefferis, A. F. and Narula, A. Squamous cell carcinoma and liposarcoma of the larynx occurring metachronously. *Clin. Rec.*, 509.
Jefferis, A. F., Shaw, H. J. and Lesser, T. H. J. Pseudotumoral mycobacterial infection in the head and neck: A clinical study. *Orig. Art.*, 277.
Jefferis, A. F., Taylor, P. C. A. and Walsh-Waring, G. P. Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an odontogenic tumour of the maxilla. *Clin. Rec.*, 1011.
Jeffries, D. J. R., Rhys Evans, P. H., Comis, S. D., Osborne, M. P. and Pickles, J. O. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.
Jeppesen, F. and Møller, K. Curving effect of scarification or unilateral perichondrial lining on septal cartilage from human autopsy material. *Orig. Art.*, 1225.
Jimakorn, P. and Cutchavaree, A. Synovial sarcoma of the hypopharynx. *Clin. Rec.*, 205.
Jonathan, D. A. and Jefferis, A. F. Fibrodysplasia ossificans progressiva presenting acutely as a submandibular swelling. *Clin. Rec.*, 721.
Jones, A. S. and Lancer, J. M. Flexible fibreoptic rhinolaryngoscopy. *Orig. Art.*, 771.
Jones, P. H. BIPP allergy causing facial paralysis. *Clin. Rec.*, 389.
Jones, P. H., Nassar, W. Y., Sadek, S. A. A. and Baraka, M. E. Intralaryngeal arytenoidectomy. *Clin. Rec.*, 513.
Juul, A., Nielsen, F. and Kristensen, S. Quinsy: A bilateral presentation. *Clin. Rec.*, 401.

Kääriäinen, H., Karjalainen, S., Teräsvirta, M. and Kärjä, J. Usher's syndrome type III. *Orig. Art.*, 43.
Kacker, S. K., Bahadur, S. and Amatya, R. C. The enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa. *Orig. Art.*, 763.
Kacker, S. K., Bahadur, S. and Iyer, S. The thyroid gland in the management of carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 1251.
Kakar, P. K., Puri, R. K. and Venkatachalam, V. P. Oral Submucous Fibrosis—treatment with hyalase. *Orig. Art.*, 57.
Kalgutkar, J. S., Grewal, D. S. and Hiranandani, N. L. Congenital absence of the palatine tonsil associated with congenital malformation of the external ear. *Clin. Rec.*, 285.

Kamiyama, R., Hasegawa, M., Nishijima, W., Watanabe, I. and Nasu, M. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
Kane, R. J., Srivastva, V. N. and Bulman, C. H. The ENT manifestations of systemic vasculitis. *Clin. Rec.*, 941.
Karczag, A., Lüers, P., Sürth, W., Banfai, P., Hortmann, G. and Kubik, S. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
Kärjä, J., Kääriäinen, H., Karjalainen, S. and Teräsvirta, M. Usher's syndrome type III. *Orig. Art.*, 43.
Karjalaine, S., Teräsvirta, M., Kärjä, J. and Kääriäinen, H. Usher's syndrome type III. *Orig. Art.*, 43.
Karma, P. and Rahko, T. Transdermal scopolamine for peripheral vertigo. *Orig. Art.*, 653.
Kawamura, A., Jr., Lynn, T.-C. and Tu, S.-M. Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma. *Orig. Art.*, 567.
Kay, N. J. and High, A. S. Solitary neurogenic sarcoma of the nose. *Clin. Rec.*, 1151.
Kazzaz, B., Soei, K. I. and Baarsma, E. A. Secondary syphilis of the tonsils. *Clin. Rec.*, 601.
Kemink, J. L., Graham, M. D. and Flood, L. M. The investigation and management of petrous apex erosion. *Orig. Art.*, 439.
Kent, S. E. and Majumdar, B. Metastatic tumours in the maxillary sinus. *Orig. Art.*, 459.
Kent, S. E., Liu, K. C. and Das Gupta, A. R. Post-laryngectomy pharyngo-cutaneous fistulae. *Orig. Art.*, 1005.
Khalil, M. A. and Spector, M. The conical cartilage of the cat's middle ear. *Orig. Art.*, 831.
Khan, M., Shahdin, Y., Khan, M. R. and Yousaf, N. Spent-bullet injuries in the head and neck region. *Clin. Rec.*, 1319.
Khan, M. K., Baraka, M. E., Sidhom, N. N., Sadek, S. A. A. and Dogra, T. S. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.
Khan, M. R., Yousaf, N., Khan, M. and Shahdin, Y. Spent-bullet injuries in the head and neck region. *Clin. Rec.*, 1319.
Knight, J. R. and Bowdler, D. A. A benign middle-ear adenoma producing facial paralysis. *Clin. Rec.*, 809.
Knight, J. R. and Bowdler, D. A. Lingual claudication and necrosis as a complication of giant cell arteritis. *Clin. Rec.*, 417.
Kristensen, S. Cervical hibernoma. *Clin. Rec.*, 1055.
Kristensen, S. and Tveteråas, K. Lightning-induced acoustic rupture of the tympanic membrane. *Clin. Rec.*, 711.
Kristensen, S., Andersen, J. and Jacobsen, P. Squamous odontogenic tumour. *Clin. Rec.*, 919.
Kristensen, S., Crawford, M. and Nielsen, F. Prominent ears: A follow-up study. *Orig. Art.*, 221.
Kristensen, S., Juul, A. and Nielsen, F. Quinsy: A bilateral presentation. *Clin. Rec.*, 401.
Kubik, S., Karczag, A., Lüers, P., Sürth, W., Banfai, P. and Hortmann, G. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
Kuylenstierna, R. and Mendel, L. A clinical comparison of the results of two different methods of closing tympanic membrane perforations. *Orig. Art.*, 339.
Kwong, K. Aggressive fibromatosis of the tonsillar fossa—a case report. *Clin. Rec.*, 411.

Lamberg, B.-A., Rinne, J., Pelkonen, R., Liesmaa, M., Tommila, V. and Grahne, B. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
Lancer, J. M. and Jones, A. S. Flexible fibreoptic rhinolaryngoscopy. *Orig. Art.*, 771.
Lancer, J. M. and Moir, A. A. The flexible fibreoptic rhinolaryngoscope. *Orig. Art.*, 767.
Latif, A., Lye, R. H., Dutton, J. E. M. and Ramsden, R. T. Endaural cerebral hernia. *Orig. Art.*, 643.
Latif, A., O'Malley, S. and Ramsden, R. T. Electrocochleographic changes in acute salicylate overdosage. *Clin. Rec.*, 1269.
Laurian, N. and Zohar, Y. Facial palsy following stapedectomy. *Clin. Rec.*, 387.
Laurian, N., Shvili, Y., Zohar, Y. and Buller, N. Conservative surgical management of invasive differentiated thyroid cancer. *Orig. Art.*, 1255.
Laurian, N., Strauss, M. and Zohar, Y. The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps. *Orig. Art.*, 373.
Lazarov, N., Boss, H., Samet, A., Podoshin, L., Fradis, M. and Simon, J. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
Lesser, T. H. J., Jefferis, A. F. and Shaw, H. J. Pseudotumoral mycobacterial infection in the head and neck: A clinical study. *Orig. Art.*, 277.
Lewis, A. N., Coman, W. B., Mills, C. and McCafferty, G. J. A nine-year study of ear disease in Australian Aboriginal children. *Orig. Art.*, 117.
Liavaag, P. G. and Bang, G. Dermal type cylindroma of the parotid gland with malignant transformation. *Clin. Rec.*, 1049.
Liesmaa, M., Tommila, V., Grahne, B., Lamberg, B.-A., Rinne, J. and Pelkonen, R. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
Lijovetzky, G., Zaarura, S. and Gay, I. Leiomyoma of the nasal cavity. *Clin. Rec.*, 197.
Lindeman, P. The elongated styloid process as a cause of throat discomfort. *Clin. Rec.*, 505.
Liu, K. C., Das Gupta, A. R. and Kent, S. E. Post-laryngectomy pharyngo-cutaneous fistulae. *Orig. Art.*, 1005.

Lo Russo, D., Agostini, V. and Fini-Storchi, O. 'Pseudotumors' of the clavicle subsequent to radical neck dissection. *Orig. Art.*, 73.
Lopes, L. J., Atherino, C. C. T. and Garcia, R. Ectopic meningioma of the [illegible] and paranasal sinuses. *Clin. Rec.*, 1161.
Lownie, J. F., Berezowski, B. M. and McIntosh, W. A. Haemangioma of the mandible. *Clin. Rec.*, 913.
Lubsen, H. and Graamans, K. Clinical implications of laryngeal amyloidosis. *Clin. Rec.*, 617.
Ludman, H. and Choa, D. I. Hemifacial spasm: Operative treatment. *Orig. Art.*, 239.
Lüers, P., Sürth, W., Banfai, P., Hortmann, G., Kubik, S. and Karczag, A. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
Lund, V. J. and Howard, D. J. Primary Ewing's sarcoma of the ethmoid bone. *Clin. Rec.*, 1019.
Lund, V. J. and Howard, D. J. Skin grafting of the anterior stomach wall following pharyngo-gastric anastomosis. *Orig. Art.*, 273.
Lye, R. H., Dutton, J. E. M., Ramsden, R. T. and Latif, A. Endaural cerebral hernia. *Orig. Art.*, 643.
Lynn, T.-C., Tu, S.-M. and Kawamura, A., Jr. Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma. *Orig. Art.*, 567.
Lyon, D. J., Mok, C. L. L. and Nolan, M. Air pressure changes in the external auditory meatus. *Orig. Art.*, 315.
Lythgoe, M., Ferguson, I. T. and Ramsden, R. T. Brain stem auditory evoked potentials and blink reflexes in multiple sclerosis. *Orig. Art.*, 677.

Mackay, I., Greenstone, M., Stanley, P. and Cole, P. Upper airway manifestations of primary ciliary dyskinesia. *Orig. Art.*, 985.
Magnani, M., Zini, C., Sanna, M., Gamoletti, R., Scandellari, R. and Delogu, P. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
Majumdar, B. and Kent, S. E. Metastatic tumours in the maxillary sinus. *Orig. Art.*, 459.
Mäkinen, J., Palva, T. and Virtanen, H. Acute and latent mastoiditis in children. *Orig. Art.*, 127.
Malena, S., Gugliantini, P., Fileni, A., Colosimo, C., Jr. and Moschini, M. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
Mann, S. B. S., Nayar, R. C., Mathur, R. P. and Gulati, A. Orbital apex syndrome due to rhinoscleroma. *Clin. Rec.*, 597.
Marfani, S. and Beg, M. H. A. The larynx in pulmonary tuberculosis. *Clin. Rec.*, 201.
Marks, N. J. and Cummings, C. W. The levator scapulae muscle flap. *Orig. Art.*, 471.
Marks, P. V. and Brookes, G. B. Myelomatosis presenting as an isolated lesion in the mastoid. *Clin. Rec.*, 903.
Marquet, J., Van Goethem, H. and Friedmann, I. Tactile neurofibroma of the stapedial nerve. *Clin. Rec.*, 187.
Martin, L. F. A., Seligman, P. M., Brown, A. M., Clark, G. M. and Dowell, R. C. Telephone use by a multichannel cochlear implant patient. *Orig. Art.*, 231.
Mathur, R. P., Gulati, A., Mann, S. B. S. and Nayar, R. C. Orbital apex syndrome due to rhinoscleroma. *Clin. Rec.*, 597.
Matthews, R. N., Eyre, J., Davies, D. M., Walsh-Waring, G. P. and Hodge, R. A. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
Maw, A. R., Coleman, M. and Davis, A. E. Acoustic brainstem electrical responses in congenital nystagmus. *Orig. Art.*, 147.
Mazzoni, M. and Ricci, T. Experimental investigation of temperature gradients in the inner ear following Argon laser exposure. *Orig. Art.*, 359.
Meikle, D. and Yarington, C. T., Jr. Synchronous parotid tumors of different histiological types in association with metastasizing hypopharyngeal carcinoma. *Orig. Art.*, 1261.
Melsen, F., Elbrønd, O., Charles, P. and Pedersen, U. Histopathology of the stapes in osteogenesis imperfecta. *Orig. Art.*, 451.
Mendel, L. and Kuylenstierna, R. A clinical comparison of the results of two different methods of closing tympanic membrane peforations. *Orig. Art.*, 339.
Mendelsohn, D. B., Davidge-Pitts, K., Cohen, M. and Hertzanu, Y. Preoperative embolization in paediatric maxillofacial haemangiomas. *Orig. Art.*, 1089.
Michel, J., Gay, I., Springer, H. and Elidan, J. Ear involvement in human brucellosis. *Clin. Rec.*, 289.
Mills, C., McCafferty, G. J., Lewis, A. N. and Coman, W. B. A nine-year study of ear disease in Australian Aboriginal children. *Orig. Art.*, 117.
Mitchell, D. B. and Drake-Lee, A. B. Chronic non-specific granulomatous epiglottis. *Clin. Rec.*, 1305.
Miyahara, H., Yoshino, K., Umatani, K. and Sato, T. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 999.
Mogensen, C., Nielsen, A. L. and Tommerup, B. A leiomyosarcoma of the hypopharynx. *Clin. Rec.*, 605.
Moir, A. A. and Lancer, J. M. The flexible fibreoptic rhinolaryngoscope. *Orig. Art.*, 767.
Mok, C. L. L., Nolan M. and Lyon, D. J. Air pressure changes in the external auditory meatus. *Orig. Art.*, 315.
Møller, K. and Jeppesen, F. Curving effect of scarification or unilateral perichondrial lining on septal cartilage from human autopsy material. *Orig. Art.*, 1225.

Monkhouse, W. S. and Smelt, G. J. C. The effect of bath water, sea water and swimming pool water on the guinea pig middle ear. *Orig. Art.*, 1209.
Moschini, M., Malena, S., Gugliantini, P., Fileni, A. and Colosimo, C., Jr. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
Moussa, S. A. and French, D. A. Microsurgical reconstruction of the trachea in rats. *Orig. Art.*, 61.
Mugliston, T. and O'Donoghue, G. Otomycosis—A continuing problem. *Orig. Art.*, 327.
Mugliston, T. and Redhead, J. Facial electroneuronography. *Orig. Art.*, 369.
Mugliston, T. A. H. and Sangwan, S. Persistent cavernous haemangioma of the larynx—a pregnancy problem. *Clin. Rec.*, 1309.
Mugliston, T. A. H. and Stafford, N. A cranio-facial approach to large osteomas of the fronto-ethmoidal region. *Orig. Art.*, 979.
McCafferty, G. J., Lewis, A. N., Coman, W. B. and Mills, C. A nine-year study of ear disease in Australian Aboriginal children. *Orig. Art.*, 117.
McCormick, M. S. and Stell, P. M. Carcinoma of the external auditory meatus and middle ear. *Orig. Art.*, 847.
McCormick, M. S., Sutherland, N. B. and Prescott, C. A. J. Tracheostomy sinuses. *Clin. Rec.*, 1173.
McIntosh, W. A. Radiological assessment of pharyngeal integrity after total laryngectomy. *Orig. Art.*, 1245.
McIntosh, W. A., Lownie, J. F. and Berezowski, B. M. Haemangioma of the mandible. *Clin. Rec.*, 913.

Narula, A. Acoustic trauma and perilymph fistula. *Clin. Rec.*, 909.
Narula, A. and Jefferis, A. F. Squamous cell carcinoma and liposarcoma of the larynx occurring metachronously. *Clin. Rec.*, 509.
Narula, A. A. and Breach, N. C. The use of the latissimus dorsi muscle flap for posterior scalp defects. *Orig. Art.*, 693.
Nassar, W. Y., Sadek, S. A. A., Baraka, M. E. and Jones, P. H. Intralaryngeal arytenoidectomy. *Clin. Rec.*, 513.
Nasu, M., Kamiyama, R., Hasegawa, M., Nishijima, W. and Watanabe, I. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
Navacharoen, N., Sirisanthana, T., Navacharoen, W. and Ruckphaopunt, K. Oropharyngeal anthrax. *Clin. Rec.*, 1293.
Navacharoen, W., Ruckphaopunt, K., Navacharoen, N. and Sirisanthana, T. Oropharyngeal anthrax. *Clin. Rec.*, 1293.
Nayak, R. G., Chandran, M. and Hazarika, P. Extra-nasopharyngeal extension of juvenile angiofibroma. *Clin. Rec.*, 813.
Nayar, R. C., Mathur, R. P., Gulati, A. and Mann, S. B. S. Orbital apex syndrome due to rhinoscleroma. *Clin. Rec.*, 597.
Nayyer, M., Vrat, V. and Saharia, P. S. Co-existing tuberculosis and malignancy in the maxillary sinus. *Clin. Rec.*, 397.
Nielsen, A. L., Tommerup, B. and Mogensen, C. A leiomyosarcoma of the hypopharynx. *Clin. Rec.*, 605.
Nielsen, F., Kristensen, S. and Crawford, M. Prominent ears: A follow-up study. *Orig. Art.*, 221.
Nielsen, F., Kristensen, S. and Juul, A. Quinsy: A bilateral presentation. *Clin. Rec.*, 401.
Nishijima, W., Watanabe, I., Nasu, M., Kamiyama, R. and Hasegawa, M. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
Nolan, M., Lyon, D. J. and Mok, C. L. L. Air pressure changes in the external auditory meatus. *Orig. Art.*, 315.

O'Donoghue, G. and Mugliston, T. Otomycosis—A continuing problem. *Orig. Art.*, 327.
O'Malley, S., Ramsden, R. T. and Latif, A. Electrocochleographic changes in acute salicylate overdosage. *Clin. Rec.*, 1269.
Odetoyinbo, O. The changing pattern of mastoid abscess. *Orig. Art.*, 1081.
Ohta, M., Sakoda, K., Uozumi, T., Suzuki, M., Harada, Y., Ishida, M. and Wada, H. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
Oppedal, B. R., Røyne, T. and Titterud, I. Synovial sarcomas of the neck. *Clin. Rec.*, 101.
Osborne, B. V. and Osborne, J. E. Misleading normal findings after the inhalation of a radio-opaque foreign body. *Clin. Rec.*, 1171.
Osborne, J., Collins, M. P., Church, M. K. and Bakhshi, K. N. Adenoid histamine and its possible relationship to secretory otitis media. *Orig. Art.*, 685.
Osborne, J. E. and Osborne, B. V. Misleading normal findings after the inhalation of a radio-opaque foreign body. *Clin. Rec.*, 1171.
Osborne, J. E. and Parker, A. J. Air in the ventricles: an unusual complication of nasal polypectomy. *Clin. Rec.*, 1275.
Osborne, M. P., Pickles, J. O., Jeffries, D. J. R., Rhys Evans, P. H. and Comis, S. D. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.

Paaske, P. B. and Tang, E. Tracheopathia osteoplastica in the larynx. *Clin. Rec.*, 305.

Palva, T. Surgical treatment of cholesteatomatous ear disease. *Orig. Art.*, 539.
Palva, T., Virtanen, H. and Mäkinen, J. Acute and latent mastoiditis in children. *Orig. Art.*, 127.
Pantaleo, T., Cagnoli, A. and Rucci, L. Tympanometric variations induced by Vidian nerve stimulation in humans. *Orig. Art.*, 355.
Parker, A. J. and Osborne, J. E. Air in the ventricles: an unusual complication of nasal polypectomy. *Clin. Rec.*, 1275.
Pedersen, U., Melsen, F., Elbrønd, O. and Charles, P. Histopathology of the stapes in osteogenesis imperfecta. *Orig. Art.*, 451.
Pelkonen, R., Liesmaa, M., Tommila, V., Grahne, B., Lamberg, B.-A. and Rinne, J. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
Penna, M. and Rossi, F. Ultrastructural features of the myelin sheath of Scarpa's ganglion cells in the adult guinea pig. *Orig. Art.*, 363.
Perucca, E. and Jackson, P. A controlled study of the suppression of tinnitus by lidocaine infusion. *Orig. Art.*, 657.
Pesce, C. and Toncini, C. Granular cell tumours of the oesophagus and larynx. *Clin. Rec.*, 1301.
Pickles, J. O., Jeffries, D. J. R., Rhys Evans, P. H., Comis, S. D. and Osborne, M. P. Cross-links between stereoc ia in the human organ of Corti. *Orig. Art.*, 11.
Podoshin, L., Ben-David, J., Grishkan, A. and Fradis, M. Eosinophilic granuloma of the temporal bone. *Clin. Rec.*, 475.
Podoshin, L., Fradis, M., Simon, J., Lazarov, N., Boss, H. and Samet, A. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
Polli, G., Salimbeni, C. and Alajmo, E. Reconstructive laryngectomy. *Orig. Art.*, 463.
Portmann, M. The choice of techniques for the surgery of chronic otitis media with cholesteatoma. *Orig. Art.*, 533.
Prasad, U. CO_2 surgical laser in the management of bilateral vocal cord paralysis. *Orig. Art.*, 891.
Prescott, C. A. J., McCormick, M. S. and Sutherland, N. B. Tracheostomy sinuses. *Clin. Rec.*, 1173.
Priede, V. M. and Wells, S. C. A case of congenital conductive deafness. *Clin. Rec.*, 705.
Primrose, W. J., Bharucha, H. and Gormley, P. K. Subglottic plasmacytoma of the larynx: an acute presentation. *Clin. Rec.*, 925.
Puri, R. K., Venkatachalam, V. P. and Kakar, P. K. Oral submucous fibrosis—treatment with hyalase. *Orig. Art.*, 57.
Pusalkar, A., Steinbach, E. and Shah, D. Paraganglioma of the tympanic membrane. *Clin. Rec.*, 481.
Puterman, M., Tovi, F., Tiberin, P. and Zirkin, H. J. Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma. *Clin. Rec.*, 1025.

Radcliffe, G. and Robinson, A. C. Foreign bodies and dementia. *Clin. Rec.*, 609.
Rahko, T. and Karma, P. Transdermal scopolamine for peripheral vertigo. *Orig. Art.*, 653.
Raine, C. H. and Swift, A. C. Antibiotic prophylaxis—a survey. *Orig. Art.*, 183.
Raj, T. B. and Zarod, A. P. Acute non-tuberculous retropharyngeal abscess in adults. *Clin. Rec.*, 1297.
Rakover, Y., Vered, I., Garzuzi, H. and Rosen, G. Rhinocerebral phycomycosis: combined approach therapy. *Clin. Rec.*, 1279.
Ramages, L. and Gertler, R. Tuberculous laryngitis—a one year harvest. *Orig. Art.*, 1119.
Ramages, L. J. and Gertler, R. Aural tuberculosis: a series of 25 patients. *Orig. Art.*, 1073.
Ramsden, R. T., Latif, A. and O'Malley, S. Electrocochleographic changes in acute salicylate overdosage. *Clin. Rec.*, 1269.
Ramsden, R. T., Latif, A., Lye, R. H. and Dutton, J. E. M. Endaural cerebral hernia. *Orig. Art.*, 643.
Ramsden, R. T., Lythgoe, M. and Ferguson, I. T. Brain stem auditory evoked potentials and blink reflexes in multiple sclerosis. *Orig. Art.*, 677.
Randall, C., Stafford, N. and Bagley, J. Assessment of bullet injuries in the neck. *Clin. Rec.*, 1315.
Randall, C. J. and Golding-Wood, D. G. Pouch formation in the interposed colon. *Clin. Rec.*, 1043.
Recher, G. Spindle cell squamous carcinoma of the larynx. *Orig. Art.*, 871.
Redhead, J. and Mugliston, T. Facial electroneuronography. *Orig. Art.*, 369.
Redmond, J. R. and Rosauer, E. A. Comparative crystallography of vertebrate otoconia. *Orig. Art.*, 21.
Reid, A. and Spencer, M. G. Drill-generated noise levels in mastoid surgery. *Orig. Art.*, 967.
Rhys Evans, P. H., Comis, S. D., Osborne, M. P., Pickles, J. O. and Jeffries, D. J. R. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.
Ricci, T. and Mazzoni, M. Experimental investigation of temperature gradients in the inner ear following Argon laser exposure. *Orig. Art.*, 359.
Rinne, J., Pelkonen, R., Liesmaa, M., Tommila, V., Grahne, B. and Lamberg, B.-A. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
Robb, P. J. Failure of intubation in acute inflammatory airway obstruction in childhood. *Orig. Art.*, 993.
Roberto, M. and Zito, F. Ossicular chain interruption with present acoustic reflex. *Clin. Rec.*, 85.

Robinson, A. C. and Radcliffe, G. Foreign bodies and dementia. *Clin. Rec.*, 609.
Rogers, J. and Canter, R. J. Tonsillectomy: Home after 24 hours? *Orig. Art.*, 177.
Rogers, J. H., Yeoh, L. H. and Singh, S. D. Retropharyngeal abscesses in a children's hospital. *Orig. Art.*, 555.
Rohiwal, R. L. and Tepan, M. G. Multiple salivary calculi in Wharton's duct. *Clin. Rec.*, 1313.
Rolando, M., Rossi, G. and Solero, P. Relationships between acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity. *Orig. Art.*, 857.
Rosauer, E. A. and Redmond, J. R. Comparative crystallography of vertebrate otoconia. *Orig. Art.*, 21.
Rosen, G., Holdstein, Y. and Garty, I. The radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO). *Orig. Art.*, 109.
Rosen, G., Rakover, Y., Vered, I. and Garzuzi, H. Rhinocerebral phycomycosis; combined approach therapy. *Clin. Rec.*, 1279.
Rossi, F. and Penna, M. Ultrastructural features of the myelin sheath of Scarpa's ganglion cells in the adult guinea pig. *Orig. Art.*, 363.
Rossi, G., Solero, P. and Rolando, M. Relationships between acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity. *Orig. Art.*, 857.
Rothera, M. P. and Grant, H. R. Long-term ventilation of the middle ear using the Goode T-Tube. *Orig. Art.*, 335.
Rothera, M. P., Flood, L. M., Fraser, J. G. and Hazell, J. W. P. Perilymph fistula. *Orig. Art.*, 671.
Røyne, T., Titterud, I. and Oppedal, B. R. Synovial sarcomas of the neck. *Clin. Rec.*, 101.
Rucci, L., Pantaleo, T. and Cagnoli, A. Tympanometric variations induced by Vidian nerve stimulation in humans. *Orig. Art.*, 355.
Ruckphaopunt, K., Navacharoen, N., Sirisanthana, T. and Navacharoen, W. Oropharyngeal anthrax. *Clin. Rec.*, 1293.
Russell, G. A., Gresham, G. A. and Wight, D. G. D. Acute epiglottitis in adults not due to haemophilus. *Clin. Rec.*, 1035.

Sadek, S. A. A. and Baraka, M. E. Carcinomatous changes in pharyngeal diverticula. *Clin. Rec.*, 297.
Sadek, S. A. A., Baraka, M. E., Jones, P. H. and Nassar, W. Y. Intralaryngeal arytenoidectomy. *Clin. Rec.*, 513.
Sadek, S. A. A., Dogra, T. S., Khan, M. K., Baraka, M. E. and Sidhom, N. N. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.
Saharia, P. S., Nayyer, M. and Vrat, V. Co-existing tuberculosis and malignancy in the maxillary sinus. *Clin. Rec.*, 397.
Sakoda, K., Uozumi, T., Suzuki, M., Harada, Y., Ishida, M., Wada, H. and Ohta, M. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
Salama, N. Y., Gleeson, M. J., Siodlak, M. Z. and Barbatis, C. Kikuchi's—a new cause of cervical lymphadenopathy. *Clin. Rec.*, 935.
Salimbeni, C., Alajmo, E. and Polli, G. Reconstructive laryngectomy. *Orig. Art.*, 463.
Salimbeni, C. and Alajmo, E. Laryngostroboscopic observations by means of inferior glottoscopy. *Orig. Art.*, 801.
Samet, A., Podoshin, L. Fradis, M., Simon, J., Lazarov, N. and Boss, H. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
Sangwan, S. and Mugliston, T. A. H. Persistent cavernous haemangioma of the larynx—a pregnancy problem. *Clin. Rec.*, 1309.
Sanna, M., Gamoletti, R., Scandellari, R., Delogu, P., Magnani, M. and Zini, C. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
Sarriá, M. J., Gavilán, J. and Gavilán, C. Facial electroneurography. *Orig. Art.*, 1085.
Sato, T., Miyahara, H., Yoshino, K. and Umatani, K. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 999.
Savage Jones, H. Auricular complications of acupuncture. *Clin. Rec.*, 1143.
Scandellari, R., Delogu, P., Magnani, M., Zini, C., Sanna, M. and Gamoletti, R. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
Seligman, P. M., Brown, A. M., Clark, G. M., Dowell, R. C. and Martin, L. F. A. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
Sellars, S. L. Surgery of sialorrhoea. *Orig. Art.*, 1107.
Shah, D., Pusalkar, A. and Steinbach, E. Paraganglioma of the tympanic membrane. *Clin. Rec.*, 481.
Shahdin, Y., Khan, M. R., Yousaf, N. and Khan, M. Spent-bullet injuries in the head and neck region. *Clin. Rec.*, 1319.
Shaheen, O. H. Carcinoma of the floor of the mouth. *Orig. Art.*, 881.
Shanmugham, M. S. Pseudocysts of the auricle. *Clin. Rec.*, 701.
Shanmugham, M. S. The role of fibreoptic nasopharyngoscopy in nasopharyngeal carcinoma (NPC). *Orig. Art.*, 779.
Shaw, H. J. Palliation in head and neck cancer. *Orig. Art.*, 1131.

Shaw, H. J., Lesser, T. H. J. and Jefferis, A. F. Pseudotumoral mycobacterial infection in the head and neck: A clinical study. *Orig. Art.*, 277.
Sheldrake, J. B., Coles, R. R. A. and Baskill, J. L. Measurement and management of tinnitus. Part II. *Orig. Art.*, 1.
Shikhani, A. H. and Ghorayeb, B. Y. The use of dexamethasone in pediatric bronchoscopy. *Orig. Art.*, 1127.
Shone, G. R. Facial palsy due to myeloma of the temporal bone. *Clin. Rec.*, 907.
Shvili, Y., Zohar, Y., Buller, N. and Laurian, N. Conservative surgical management of invasive differentiated thyroid cancer. *Orig. Art.*, 1255.
Sidhom, N. N., Sadek, S. A. A., Dogra, T. S., Khan, M. K. and Baraka, M. E. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.
Sidi, J., Har-El, G., Zirkin, H. Y. and Tovi, F. Congenital pleomorphic adenoma of the nasopharynx. *Clin. Rec.*, 1281.
Simon, J., Lazarov, N., Boss, H., Samet, A., Podoshin, L. and Fradis, M. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
Singh, S. D. and Bradley, P. J. Nasal glioma. *Orig. Art.*, 247.
Singh, S. D., Rogers, J. H. and Yeoh, L. H. Retropharyngeal abscesses in a children's hospital. *Orig. Art.*, 555.
Singh, W. and Hardcastle, P. Near-total laryngectomy with myo-mucosal valved neoglottis. *Orig. Art.*, 581.
Siodlak, M. Z., Barbatis, C., Salama, N. Y. and Gleeson, M. J. Kikuchi's—a new cause of cervical lymphadenopathy. *Clin. Rec.*, 935.
Siodlak, M. Z., Wengraf, C. L. and Gleeson, M. J. Fibre optic guided nasal intubation—shouldn't we be the experts? *Orig. Art.*, 775.
Sirisanthana, T., Navacharoen, W., Ruckphaopunt, K. and Navacharoen, N. Oropharyngeal anthrax. *Clin. Rec.*, 1293.
Smelt, G. J. C. and Monkhouse, W. S. The effect of bath water, sea water and swimming pool water on the guinea pig middle ear. *Orig. Art.*, 1209.
Smith, M. C. F., Smith, R. J. H. and Bailey, C. M. Primary cervical neuroblastoma in infants. *Clin. Rec.*, 209.
Smith, R. J. H., Bailey, C. M. and Smith, M. C. F. Primary cervical neuroblastoma in infants. *Clin. Rec.*, 209.
Soei, K. I., Baarsma, E. A. and Kazzaz, B. Secondary syphilis of the tonsils. *Clin. Rec.*, 601.
Solero, P., Rolando, M. and Rossi, G. Relationships between acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity. *Orig. Art.*, 857.
Soni, N. K., Agarwal, B. K. and Chatterji, P. Myxoma of the jaw. *Clin. Rec.*, 391.
Spector, M. and Khalil, M. A. The conical cartilage of the cat's middle ear. *Orig. Art.*, 831.
Spellacy, E., Crow, J., Watts, R. W. E. and Friedmann, I. Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]. *Orig. Art.*, 29.
Spencer, M. G. Riedel's thyroiditis discovered at tracheostomy. *Clin. Rec.*, 97.
Spencer, M. G. and Couldery, A. D. Nasal tooth. *Clin. Rec.*, 1147.
Spencer, M. G. and Reid, A. Drill-generated noise levels in mastoid surgery. *Orig. Art.*, 967.
Springer, H., Elidan, J., Michel, J. and Gay, I. Ear involvement in human brucellosis. *Clin. Rec.*, 289.
Srivastva, V. N., Bulman, C. H. and Kane, R. J. The ENT manifestations of systemic vasculitis. *Clin. Rec.*, 941.
Stafford, F. and Welch, A. R. Comparison of endoscopic diathermy and resection in the surgical treatment of pharyngeal diverticula. *Orig. Art.*, 179.
Stafford, N. and Mugliston, T. A. H. A cranio-facial approach to large osteomas of the fronto-ethmoidal region. *Orig. Art.*, 979.
Stafford, N., Bagley, J. and Randall, C. Assessment of bullet injuries in the neck. *Clin. Rec.*, 1315.
Stanley, P., Cole, P., Mackay, I. and Greenstone, M. Upper airway manifestations of primary ciliary dyskinesia. *Orig. Art.*, 985.
Stegehuis, H. R., Guy, A. M. and Anderson, K. R. Middle-ear lipoma presenting as airways obstruction. *Clin. Rec.*, 589.
Steinbach, E., Shah, D. and Pusalkar, A. Paraganglioma of the tympanic membrane. *Clin. Rec.*, 481.
Stell, P. M. and McCormick, M. S. Carcinoma of the external auditory meatus and middle ear. *Orig. Art.*, 847.
Stoksted, P., Grymer, L. F. and Gutierrez, C. Nasal fractures in children: influence on the development of the nose. *Orig. Art.*, 735.
Stoksted, P., Grymer, L. F. and Gutierrez, C. The importance of nasal fractures during different growth periods of the nose. *Orig. Art.*, 741.
Strauss, M., Zohar, Y. and Laurian, N. The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps. *Orig. Art.*, 373.
Sugita, R., Fujimaki, Y. and Deguchi, K. Bacteriological features and chemotherapy of adult acute purulent otitis media. *Orig. Art.*, 629.
Sürth, W., Banfai, P., Hortmann, G., Kubik, S., Karczag, A. and Lüers, P. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
Sutherland, N. B., Prescott, C. A. J. and McCormick, M. S. Tracheostomy sinuses. *Clin. Rec.*, 1173.

Suzuki, M., Harada, Y., Ishida, M., Wada, H., Ohta, M., Sakoda, K. and Uozumi, T. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
Swan, I. R. C., Gatehouse, S. and Browning, G. G. The doubtful value of tympanometry in the diagnosis of otosclerosis. *Orig. Art.*, 545.
Swift, A. C. Otorrhoea as a presenting feature of a spontaneous round window rupture in a patient with Menière's disease. *Clin. Rec.*, 1009.
Swift, A. C. and Raine, C. H. Antibiotic prophylaxis—a survey. *Orig. Art.*, 183.

Talaat, M., Elwany, S. and Abdel-Kreim, A. Relevance of the conventional Waters' view in evaluating chronic bacterial maxillary sinusitis. *Orig. Art.*, 1233.
Tanaka, E., Hiraide, F. and Inouye, T. Lymphangiectatic fibrous polyp of the palatine tonsil. *Clin. Rec.*, 403.
Tang, E. and Paaske, P. B. Tracheopathia osteoplastica in the larynx. *Clin. Rec.*, 305.
Tateishi, O., Yoshida, Y., Hirano, M. and Yoshida, T. Strobofibrescopic colour video recording of vocal fold vibration. *Orig. Art.*, 795.
Taylor, P. C. A., Walsh-Waring, G. P. and Jefferis, A. F. Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an odontogenic tumour of the maxilla. *Clin. Rec.*, 1011.
Tepan, M. G. and Rohiwal, R. L. Multiple salivary calculi in Wharton's duct. *Clin. Rec.*, 1313.
Teräsvirta, M., Kärjä, J., Kääriäinen, H. and Karjalainen, S. Usher's syndrome type III. *Orig. Art.*, 43.
Terry, R. M. An unusual presentation of acoustic neuroma. *Clin. Rec.*, 593.
Thisted, E. First branchial groove anomaly. *Clin. Rec.*, 901.
Tiberin, P., Zirkin, H. J., Puterman, M. and Tovi, F. Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma. *Clin. Rec.*, 1025.
Titterud, I., Oppedal, B. R. and Røyne, T. Synovial sarcomas of the neck. *Clin. Rec.*, 101.
Tiwari, R. Reconstruction after temporal bone resection. *Orig. Art.*, 143.
Tiwari, R. Reconstruction of the midfacial region after cancer surgery. *Orig. Art.*, 751.
Tiwari, R. M., de Rijcke, Th. B. M. and Balm, A. J. M. Osteomyelitis in the head and neck. *Clin. Rec.*, 1059.
Tjellström, A. and Albrektsson, T. A five-year follow-up of preformed, autologous ossicles in tympanoplasty. *Orig. Art.*, 729.
Tommerup, B., Mogensen, C. and Nielsen, A. L. A leiomyosarcoma of the hypopharynx. *Clin. Rec.*, 605.
Tommila, V., Grahne, B., Lamberg, B.-A., Rinne, J., Pelkonen, R. and Liesmaa, M. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
Toncini, C. and Pesce, C. Granular cell tumours of the oesophagus and larynx. *Clin. Rec.*, 1301.
Toppozada, H. H. Laryngeal bilharzia. *Clin. Rec.*, 1039.
Tovi, F. and Eyal, A. Branched and polycystic thyroglossal duct anomaly. *Clin. Rec.*, 1179.
Tovi, F., Sidi, J., Har-El, G. and Zirkin, H. Y. Congenital pleomorphic adenoma of the nasopharynx. *Clin. Rec.*, 1281.
Tovi, F., Tiberin, P., Zirkin, H. J. and Puterman, M. Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma. *Clin. Rec.*, 1025.
Tranter, R. M. D., Frame, J. W. and Browne, R. M. The healing of CO_2 laser wounds of the larynx. *Orig. Art.*, 895.
Tu, S.-M., Kawamura, A., Jr. and Lynn, T.-C. Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma. *Orig. Art.*, 567.
Tveterås, K. and Kristensen, S. Lightning-induced acoustic rupture of the tympanic membrane. *Clin. Rec.*, 711.

Umatani, K., Sato, T., Miyahara, H. and Yoshino, K. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 999.
Uozumi, T., Suzuki, M., Harada, Y., Ishida, M., Wada, H., Ohta, M. and Sakoda, K. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.

Van Goethem, H., Friedmann, I. and Marquet, J. Tactile neurofibroma of the stapedial nerve. *Clin. Rec.*, 187.
Venkatachalam, V. P., Kakar, P. K. and Puri, R. K. Oral Submucous Fibrosis—treatment with hyalase. *Orig. Art.*, 57.
Vered, I., Garzuzi, H., Rosen, G. and Rakover, Y. Rhinocerebral phycomycosis; combined approach therapy. *Clin. Rec.*, 1279.
Vimpel, T., Felding, J. U. and Bonding, P. The value of X-ray examination of the paranasal sinuses after epistaxis. *Orig. Art.*, 253.
Virtanen, H., Mäkinen, J. and Palva, T. Acute and latent mastoiditis in children. *Orig. Art.*, 127.
Vrat, V., Saharia, P. S. and Nayyer, M. Co-existing tuberculosis and malignancy in the maxillary sinus. *Clin. Rec.*, 397.

Wada, H., Ohta, M., Sakoda, K., Uozumi, T., Suzuki, M., Harada, Y. and Ishida, M. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.

Wadsworth, P. V. and Bailey, C. M. Treatment of the drooling child by submandibular duct transposition. *Orig. Art.*, 1111.
Walsh-Waring, G. P., Hodge, R. A., Matthews, R. N., Eyre, J. and Davies, D. M. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
Walsh-Waring, G. P., Jefferis, A. F. and Taylor, P. C. A. Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an adontogenic tumour of the maxilla. *Clin. Rec.*, 1011.
Watanabe, I., Nasu, M., Kamiyama, R., Hasegawa, M. and Nishijima, W. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
Watts, R. W. E., Friedmann, I., Spellacy, E. and Crow, J. Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]. *Orig. Art.*, 29.
Wei, W. I. Rhabdomyosarcoma of soft palate: a case of late relapse. *Clin. Rec.*, 1029.
Welch, A. R. and Dawes, J. D. K. Suboccipital approach in the removal of acoustic neuromas. *Orig. Art.*, 1217.
Welch, A. R. and Stafford, F. Comparison of endoscopic diathermy and resection in the surgical treatment of pharyngeal diverticula. *Orig. Art.*, 179.
Wells, S. C. and Priede, V. M. A case of congenital conductive deafness. *Clin. Rec.*, 705.
Wengraf, C. L., Gleeson, M. J. and Siodlak, M. Z. Fibre optic guided nasal intubation—shouldn't we be the experts? *Orig. Art.*, 775.
Wight, D. G. D., Russell, G. A. and Gresham, G. A. Acute epiglottitis in adults not due to haemophilus. *Clin. Rec.*, 1035.
Willatt, D. and Youngs, R. Benign necrotizing osteitis of the external auditory meatus. *Clin. Rec.*, 805.

Yakout, Y. M., Elwany, S., Abdel-Kreem, A. and Abou Seif, S. Radiological findings in lipoid proteinosis. *Orig. Art.*, 259.
Yarington, C. T., Jr. and Meikle, D. Synchronous parotid tumors of different histiological types in association with metastasizing hypopharyngeal carcinoma. *Orig. Art.*, 1261.
Yeoh, L. H., Singh, S. D. and Rogers, J. H. Retropharyngeal abscesses in a children's hospital. *Orig. Art.*, 555.
Yoshida, T., Tateishi, O., Yoshida, Y. and Hirano, M. Strobofibrescopic colour video recording of vocal fold vibration. *Orig. Art.*, 795.
Yoshida, Y., Hirano, M., Yoshida, T. and Tateishi, O. Strobofibrescopic colour video recording of vocal fold vibration. *Orig. Art.*, 795.
Yoshino, K., Umatani, K., Sato, T. and Miyahara, H. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 999.
Youngs, R. and Willatt, D. Benign necrotizing osteitis of the external auditory meatus. *Clin. Rec.*, 805.
Yousaf, N., Khan, M., Shahdin, Y. and Khan, M. R. Spent-bullet injuries in the head and neck region. *Clin. Rec.*, 1319.

Zaarura, S., Gay, I. and Lijovetzky, G. Leiomyoma of the nasal cavity. *Clin. Rec.*, 197.
Zakzouk, M. S. Pleomorphic adenoma of the larynx. *Clin. Rec.*, 611.
Zarod, A. P. and Raj, T. B. Acute non-tuberculous retropharyngeal abscess in adults. *Clin. Rec.*, 1297.
Zenev, I. and Betow, Ch. Scanning electronic microscopy of sialit-preserved total middle-ear grafts. *Orig. Art.*, 1201.
Zini, C., Sanna, M., Gamoletti, R., Scandellari, R., Delogu, P. and Magnani, M. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
Zirkin, H. J., Puterman, M., Tovi, F. and Tiberin, P. Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma. *Clin. Rec.*, 1025.
Zirkin, H. Y., Tovi, F., Sidi, J. and Har-El, G. Congenital pleomorphic adenoma of the nasopharynx. *Clin. Rec.*, 1281.
Zito, F. and Roberto, M. Ossicular chain interruption with present acoustic reflex. *Clin. Rec.*, 85.
Zohar, Y. and Laurian, N. Facial palsy following stapedectomy. *Clin. Rec.*, 387.
Zohar, Y., Buller, N., Laurian, N. and Shvili, Y. Conservative surgical management of invasive differentiated thyroid cancer. *Orig. Art.*, 1255.
Zohar, Y., Laurian, N. and Strauss, M. The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps. *Orig. Art.*, 373.

GENERAL

Abductor paralysis, Thornell's approach for arytenoidectomy in the surgical treatment of bilateral—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
Aboriginal children, A nine-year study of ear disease in Australian—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
Abscess, Acute non-tuberculous retropharyngeal, in adults—T. B. Raj and A. P. Zarod. *Clin. Rec.*, 1297.

Abscess, mastoid, The changing pattern of—O. Odetoyinbo. *Orig. Art.*, 1081.
Abscess of the nasal septum complicating isolated acute sphenoiditis—M. P. Collins. *Clin. Rec.*, 715.
Abscesses, Retropharyngeal, in a children's hospital—L. H. Yeoh, S. D. Singh and J. H. Rogers. *Orig. Art.*, 555.
Acinic cell carcinoma, Multiple—H. Gustafsson and B. Carlsöö. *Clin. Rec.*, 1183.
Acoustic brainstem electrical responses in congenital nystagmus—A. E. Davis, A. R. Maw and M. Coleman. *Orig. Art.*, 147.
Acoustic neuroma, An unusual presentation of—R. M. Terry. *Clin. Rec.*, 593.
Acoustic neuromas, Suboccipital approach in the removal of—A. R. Welch and J. D. K. Dawes. *Orig. Art.*, 1217.
Acoustic reflex, Ossicular chain interruption with present—M. Roberto and F. Zito. *Clin. Rec.*, 85.
Acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity, Relationships between—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
Acoustic rupture of the tympanic membrane, Lightning-induced—S. Kristensen and K. Tveterås. *Clin. Rec.*, 711.
Acoustic trauma and perilymph fistula—A. Narula and N. J. Marks. *Clin. Rec.*, 909.
Acupuncture, Auricular complications of—H. Savage Jones. *Clin. Rec.*, 1143.
Acute and latent mastoiditis in children—T. Palva, H. Virtanen and J. Mäkinen. *Orig. Art.*, 127.
Acute epiglottitis in adults not due to haemophilus—G. A. Russell, G. A. Gresham and D. G. D. Wight. *Clin. Rec.*, 1035.
Acute inflammatory airway obstruction in childhood, Failure of intubation in—P. J. Robb. *Orig. Art.*, 993.
Acute non-tuberculous retropharyngeal abscess in adults—T. B. Raj and A. P. Zarod. *Clin. Rec.*, 1297.
Acute otitis media and the histopathological assessment of a cochlear implant in the cat, An animal model of—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
Acute purulent otitis media, Bacteriological features and chemotherapy of adult—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
Acute stridor, Two cases of vallecular cyst presenting with—D. M. Albert and Z. Ali. *Clin. Rec.*, 421.
Adenocarcinoma, Lactate dehydrogenase in human maxillary, and in experimental adenocarcinoma in mice—W. Gołąbek and L. M. Franks. *Orig. Art.*, 171.
Adenoid histamine and its possible relationship to secretory otitis media—M. P. Collins, M. K. Church, K. N. Bakhshi and J. Osborne. *Orig. Art.*, 685.
Adenoma, Congenital pleomorphic, of the nasopharynx—G. Har-El, H. Y. Zirkin, F. Tovi and J. Sidi. *Clin. Rec.*, 1281.
Adenoma of the larynx, Pleomorphic—M. S. Zakzouk. *Clin. Rec.*, 611.
Adenoma producing facial paralysis, A benign middle-ear—J. R. Knight and D. A. Bowdler. *Clin. Rec.*, 809.
Adult acute purulent otitis media, Bacteriological features and chemotherapy of—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
Aggresive fibromatosis of the tonsillar fossa—K. Kwong. *Clin. Rec.*, 411.
Air in the ventricles: an unusual complication of nasal polypectomy—J. E. Osborne and A. J. Parker. *Clin. Rec.*, 1275.
Air pressure changes in the external auditory meatus—M. Nolan, D. J. Lyon and C. L. L. Mok. *Orig. Art.*, 315.
Airway obstruction in childhood, Failure of intubation in acute inflammatory—P. J. Robb. *Orig. Art.*, 993.
Airway, Upper, manifestations of primary ciliary dyskinesia—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.
Amyloidosis, Clinical implications of laryngeal—K. Graamans and H. Lubsen. *Clin. Rec.*, 617.
Anastomosis, Skin grafting of the anterior stomach wall following pharyngo-gastric—D. J. Howard and V. J. Lund. *Orig. Art.*, 273.
Angiofibroma, Extra-nasopharyngeal extension of juvenile—P. Hazarika, R. G. Nayak and M. Chandran. *Clin. Rec.*, 813.
Animal model of acute otitis media and the histopathological assessment of a cochlear implant in the cat, An—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
Anterior stomach wall following pharyngo-gastric anastomosis, Skin grafting of the—D. J. Howard and V. J. Lund. *Orig. Art.*, 273.
Anthrax, Oropharyngeal—N. Navacharoen, T. Sirisanthana, W. Navacharoen and K. Ruckphaopunt. *Clin. Rec.*, 1293.
Antibiotic prophylaxis—a survey—C. H. Raine and A. C. Swift. *Orig. Art.*, 183.
Aqueductal stenosis—results of vestibular function tests—M. Suzuki, Y. Harada, M. Ishida, H. Wada, M. Ohta, K. Sakoda and T. Uozumi. *Orig. Art.*, 151.
Argon laser exposure, Experimental investigation of temperature gradients in the inner ear following—T. Ricci and M. Mazzoni. *Orig. Art.*, 359.
Arterial ligation, An evaluation and clinical study of severe epistaxis treated by—E. T. M. Cooke. *Orig. Art.*, 745.

Arytenoidectomy in the surgical treatment of bilateral abductor paralysis, Thornell's approach for—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
Arytenoidectomy, Intralaryngeal—W. Y. Nassar, S. A. A. Sadek, M. E. Baraka and P. H. Jones. *Clin. Rec.*, 513.
Aspects of mandibular reconstruction—R. A. Hodge, R. N. Matthews, J. Eyre, D. M. Davies and G. P. Walsh-Waring. *Orig. Art.*, 1097.
Assessment of bullet injuries in the neck—N. Stafford, J. Bagley and C. Randall. *Clin. Rec.*, 1315.
Atrophic rhinitis with deviated nasal septum, Septoplasty in unilateral—S. C. Gupta. *Orig. Art.*, 163.
Auditory evoked potentials and blink reflexes in multiple sclerosis, Brain stem—I. T. Ferguson, R. T. Ramsden and M. Lythgoe. *Orig. Art.*, 677.
Aural tuberculosis: a series of 25 patients—L. J. Ramages and R. Gertler. *Orig. Art.*, 1073.
Auricle, Pseudocysts of the—M. S. Shanmugham. *Clin. Rec.*, 701.
Auricular complications of acupuncture—H. Savage Jones. *Clin. Rec.*, 1143.
Australian Aboriginal children, A nine-year study of ear disease in—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
Autopsy material, Curving effect of scarification or unilateral perichondrial lining on septal cartilage from human—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.

Bacteriological features and chemotherapy of adult acute purulent otitis media—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
Bath water, sea water and swimming pool water on the guinea pig middle ear, The effect of—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
Benign middle-ear adenoma producing facial paralysis, A—J. R. Knight and D. A. Bowdler. *Clin. Rec.*, 809.
Benign necrotizing osteitis of the external auditory meatus—R. Youngs and D. Willatt. *Clin. Rec.*, 805.
Bilateral abductor paralysis, Thornell's approach for arytenoidectomy in the surgical treatment of—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
Bilateral presentation, A, Quinsy:—S. Kristensen, A. Juul and F. Nielsen. *Clin. Rec.*, 401.
Bilateral retinoblastoma, Malignant fibrous histiocytoma of maxilla following radiotherapy for—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
Bilateral vocal cord paralysis, CO_2 surgical laser in the management of—U. Prasad. *Orig. Art.*, 891.
Bilharzia, Laryngeal—H. H. Toppozada. *Clin. Rec.*, 1039.
BIPP allergy causing facial paralysis—P. H. Jones. *Clin. Rec.*, 389.
Blink reflexes in multiple sclerosis, Brain stem auditory evoked potentials and—I. T. Ferguson, R. T. Ramsden and M. Lythgoe. *Orig. Art.*, 677.
Blood flow in nasal polyps—M. Bende and K. Flisberg. *Orig. Art.*, 167.
Brain stem auditory evoked potentials and blink reflexes in multiple sclerosis—I. T. Ferguson, R. T. Ramsden and M. Lythgoe. *Orig. Art.*, 677.
Branched and polycystic thyroglossal duct anomaly—F. Tovi and A. Eyal. *Clin. Rec.*, 1179.
Branchial groove anomaly, First—E. Thisted. *Clin. Rec.*, 901.
Bronchoscopy, pediatric, The use of dexamethasone in—B. Y. Ghorayeb and A. H. Shikhani. *Orig. Art.*, 1127.
Brucellosis, Ear involvement in human—J. Elidan, J. Michel, I. Gay and H. Springer. *Clin. Rec.*, 289.
Bullet injuries in the neck, Assessment of—N. Stafford, J. Bagley and C. Randall. *Clin. Rec.*, 1315.

Calculi in Wharton's duct, Multiple salivary—M. G. Tepan and R. L. Rohiwal. *Clin. Rec.*, 1313.
Cancer, laryngeal, Multiple primary tumours in—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
Cancer, Palliation in head and neck—H. J. Shaw. *Orig. Art.*, 1131.
Cancer surgery, Reconstruction of the midfacial region after—R. Tiwari. *Orig. Art.*, 751.
Cancer, thyroid, Conservative surgical management of invasive differentiated—Y. Shvili, Y. Zohar, N. Buller and N. Laurian. *Orig. Art.*, 1255.
Carbon Dioxide laser, Laryngeal microsurgery with the—J. A. S. Carruth. *Orig. Art.*, 573.
Carbon dioxide laser, Resection of the tongue with the,: 100 cases—J. A. S. Carruth. *Orig. Art.*, 887.
Carcinoma, metastasizing hypopharyngeal, Synchronous parotid tumors of different histiological types in association with—D. Meikle and C. T. Yarington, Jr. *Orig. Art.*, 1261.
Carcinoma, Multiple acinic cell—H. Gustafsson and B. Carlsöö. *Clin. Rec.*, 1183.
Carcinoma, nasopharyngeal, Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
Carcinoma, nasopharyngeal, (NPC), The role of fibreoptic nasopharyngoscopy in—M. S. Shanmugham. *Orig. Art.*, 779.
Carcinoma of the external auditory meatus and middle ear—P. M. Stell and M. S. McCormick. *Orig. Art.*, 847.
Carcinoma of the floor of the mouth—O. H. Shaheen. *Orig. Art.*, 881.

Carcinoma of the larynx and laryngopharynx, The thyroid gland in the management of—S. Bahadur, S. Iyer and S. K. Kacker. *Orig. Art.*, 1251.
Carcinoma of the larynx and pyriform fossa, The enigma of post-radiation oedema and residual or recurrent—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
Carcinoma of the larynx, Spindle cell squamous—G. Recher. *Orig. Art.*, 871.
Carcinoma, Squamous cell, and liposarcoma of the larynx occurring metachronously—A. Narula and A. F. Jefferis. *Clin. Rec.*, 509.
Carcinomatous changes in pharyngeal diverticula—M. E. Baraka and S. A. A. Sadek. *Clin. Rec.*, 297.
Cartilage autografts in tympanoplasty, Histochemical study of—S. Elwany. *Orig. Art.*, 637.
Cartilage, conical, of the cat's middle ear, The—M. A. Khalil and M. Spector. *Orig. Art.*, 831.
Cat, An animal model of acute otitis media and the histopathological assessment of a cochlear implant in the—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
Cat's middle ear, The conical cartilage of the—M. A. Khalil and M. Spector. *Orig. Art.*, 831.
Causes of glue ear—N. Black. *Orig. Art.*, 953.
Cavernous haemangioma of the larynx, Persistent,—a pregnancy problem—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
Cerebral hernia, Endaural—R. T. Ramsden, A. Latif, R. H. Lye and J. E. M. Dutton. *Orig. Art.*, 643.
Cervical hibernoma—S. Kristensen. *Clin. Rec.*, 1055.
Cervical lymphadenopathy, Kikuchi's—a new cause of—M. J. Gleeson, M. Z. Siodlak, C. Barbatis and N. Y. Salama. *Clin. Rec.*, 935.
Cervical neuroblastoma in infants, Primary—M. C. F. Smith, R. J. H. Smith and C. M. Bailey. *Clin. Rec.*, 209.
Cervical spondylosis, Dysphagia due to—J. A. Crowther and G. M. Ardran. *Clin. Rec.*, 1167.
Changing patterns of mastoid abscess, The—O. Odetoyinbo. *Orig. Art.*, 1081.
Chemotherapy of adult acute purulent otitis media, Bacteriological features and—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
Childhood, Failure of intubation in acute inflammatory airway obstruction in—P. J. Robb. *Orig. Art.*, 993.
Children, Acute and latent mastoiditis in—T. Palva, H. Virtanen and J. Mäkinen. *Orig. Art.*, 127.
Children, Australian Aboriginal, A nine-year study of ear disease in—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
Children, Nasal fractures in,: influence on the development of the nose—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 735.
Children's hospital, Retropharyngeal abscesses in a—L. H. Yeoh, S. D. Singh and J. H. Rogers. *Orig. Art.*, 555.
Choice of techniques for the surgery of chronic otitis media with cholesteatoma, The—M. Portmann. *Orig. Art.*, 533.
Cholesteatoma, The choice of techniques for the surgery of chronic otitis media with—M. Portmann *Orig. Art.*, 533.
Cholesteatomatous ear disease, Surgical treatment of—T. Palva. *Orig. Art.*, 539.
Cholesterol granuloma, A rare intracranial complication of—S. W. Brodie and M. K. Chaurasia. *Clin. Rec.*, 491.
Chondrosarcoma and malignant melanoma of the nose, Metachranous—R. P. E. Barton. *Clin. Rec.*, 497.
Chordoma, Primary chondroid, arising from the base of the temporal bone—M. Hasegawa, W. Nishijima, I. Watanabe, M. Nasu and R. Kamiyama. *Clin. Rec.*, 485.
Chronic non-specific granulomatous epiglottitis—D. B. Mitchell and A. B. Drake-Lee. *Clin. Rec.*, 1305.
Ciliary dyskinesia, Upper airway manifestations of primary—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.
Clavicle subsequent to radical neck dissection, 'Pseudotumors' of the—O. Fini-Storchi, D. Lo Russo and V. Agostini. *Orig. Art.*, 73.
Clinical comparison of the results of two different methods of closing tympanic membrane perforations, A—L. Mendel and R. Kuylenstierna. *Orig. Art.*, 339.
Clinical implications of laryngeal amyloidosis—K. Graamans and H. Lubsen. *Clin. Rec.*, 617.
Closing tympanic membrane perforations, A clinical comparison of the results of two different methods of—L. Mendel and R. Kuylenstierna. *Orig. Art.*, 339.
CO_2 laser wounds of the larynx, The healing of—R. M. D. Tranter, J. W. Frame and R. M. Browne. *Orig. Art.*, 895.
CO_2 surgical laser in the management of bilateral vocal cord paralysis—U. Prasad. *Orig. Art.*, 891.
Cochlear implant in the cat, An animal model of acute otitis media and the histopathological assessment of a—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
Cochlear implant patient, Telephone use by a multi-channel—A. M. Brown, G. M. Clark, R. C. Dowell, L. F. A. Martin and P. M. Seligman. *Orig. Art.*, 231.
Co-existing tuberculosis and malignancy in the maxillary sinus—V. Vrat, P. S. Saharia and M. Nayyer. *Clin. Rec.*, 397.
Comparative crystallography of vertebrate otoconia—E. A. Rosauer and J. R. Redmond. *Orig. Art.*, 21.

Comparison of endoscopic diathermy and resection in the surgical treatment of pharyngeal diverticula—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
Comparison of the effects of eighth nerve section with lidocaine on tinnitus, A—P. Jackson. *Orig. Art.*, 663.
Congenital absence of the palatine tonsil associated with congenital malformation of the external ear—D. S. Grewal, N. L. Hiranandani and J. S. Kalgutkar. *Clin. Rec.*, 285.
Congenital conductive deafness, A case of—S. C. Wells and V. M. Priede. *Clin. Rec.*, 705.
Congenital neural hearing-loss due to inner ear malformation—I. Brama. *Clin. Rec.*, 293.
Congenital nystagmus, Acoustic brainstem electrical responses in—A. E. Davis, A. R. Maw and M. Coleman. *Orig. Art.*, 147.
Congenital pleomorphic adenoma of the nasopharynx—G. Har-El, H. Y. Zirkin, F. Tovi and J. Sidi. *Clin. Rec.*, 1281.
Conical cartilage of the cat's middle ear, The—M. A. Khalil and M. Spector. *Orig. Art.*, 831.
Conservative surgical management of invasive differentiated thyroid cancer—Y. Shvili, Y. Zohar, N. Buller and N. Laurian. *Orig. Art.*, 1255.
Controlled study of the suppression of tinnitus by lidocaine infusion, A—E. Perucca and P. Jackson. *Orig. Art.*, 657.
Corti, organ of, Cross-links between stereocilia in the human—P. H. Rhys Evans, S. D. Comis, M. P. Osborne, J. O. Pickles and D. J. R. Jeffries. *Orig. Art.*, 11.
Cranio-facial approach to large osteomas of the fronto-ethmoidal region, A—T. A. H. Mugliston and N. Stafford. *Orig. Art.*, 979.
Cross-links between stereocilia in the human organ of Corti—P. H. Rhys Evans, S. D. Comis, M. P. Osborne, J. O. Pickles and D. J. R. Jeffries. *Orig. Art.*, 11.
Crystallography of vertebrate otoconia, Comparative—E. A. Rosauer and J. R. Redmond. *Orig. Art.*, 21.
Curving effect of scarification or unilateral perichondrial lining on septal cartilage from human autopsy material—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
Cutaneous flaps, The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
Cylindroma of the parotid gland with malignant transformation, Dermal type—P. G. Liavaag and G. Bang. *Clin. Rec.*, 1049.

Deafness, A case of congenital conductive—S. C. Wells and V. M. Priede. *Clin. Rec.*, 705.
Delayed ultrastructural radiation induced changes in the human mesotympanic middle ear mucosa—S. Elwany. *Orig. Art.*, 343.
Dementia, Foreign bodies and—A. C. Robinson and G. Radcliffe. *Clin. Rec.*, 609.
Denatured rape oil intoxication, Vestibular response in—C. Gavilán, J. Gavilán and A. Abril. *Orig. Art.*, 973.
Dermal type cylindroma of the parotid gland with malignant transformation—P. G. Liavaag and G. Bang. *Clin. Rec.*, 1049.
Deviated nasal septum, Septoplasty in unilateral atrophic rhinitis with—S. C. Gupta. *Orig. Art.*, 163.
Dexamethasone in pediatric bronchoscopy, The use of—B. Y. Ghorayeb and A. H. Shikhani. *Orig. Art.*, 1127.
Diathermy, endoscopic, and resection in the surgical treatment of pharyngeal diverticula, Comparison of—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
Diverticula, pharyngeal, Carcinomatous changes in—M. E. Baraka and S. A. A. Sadek. *Clin. Rec.*, 297.
Diverticula, pharyngeal, Comparison of endoscopic diathermy and resection in the surgical treatment of—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
Doubtful value of tympanometry in the diagnosis of otosclerosis, The—G. G. Browning, I. R. C. Swan and S. Gatehouse. *Orig. Art.*, 545.
Drill-generated noise levels in mastoid surgery—M. G. Spencer and A.Reid. *Orig. Art.*, 967.
Drooling child by submandibular duct transposition, Treatment of the—C. M. Bailey and P. V. Wadsworth. *Orig. Art.*, 1111.
Duct anomaly, Branched and polycystic thyroglossal—F. Tovi and A. Eyal. *Clin. Rec.*, 1179.
Duct, submandibular, transposition, Treatment of the drooling child by—C. M. Bailey and P. V. Wadsworth. *Orig. Art.*, 1111.
Dyskinesia, upper airway manifestations of primary ciliary—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.
Dysphagia due to cervical spondylosis—J. A. Crowther and G. M. Ardran. *Clin. Rec.*, 1167.

Ear disease in Australian Aboriginal children, A nine-year study of—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
Ear disease, Surgical treatment of cholesteatomatous—T. Palva. *Orig. Art.*, 539.
Ear involvement in human brucellosis—J. Elidan, J. Michel, I. Gay and H. Springer. *Clin. Rec.*, 289.
Ear malformations, Tomography in the pre-operative evaluation of—A. Fileni, C. Colosimo, Jr., M. Moschini, S. Malena and P. Gugliantini. *Orig. Art.*, 433.

Ears, non-hearing, Electrocochleographic findings and the effects of lidocaine on tinnitus in—P. Jackson. *Orig. Art.*, 667.
Ears, Prominent,: A follow-up study—F. Nielsen, S. Kristensen and M. Crawford. *Orig. Art.*, 221.
Ectopic meningioma of the nose and paranasal sinuses—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
Effect of bath water, sea water and swimming pool water on the guinea pig middle ear, The—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
Eighth nerve section with lidocaine on tinnitus, A comparison of the effects of—P. Jackson. *Orig. Art.*, 663.
Electrocochleographic changes in acute salicylate overdosage—R. T. Ramsden, A. Latif and S. O'Malley. *Clin. Rec.*, 1269.
Electrocochleographic findings and the effects of lidocaine on tinnitus in non-hearing ears—P. Jackson. *Orig. Art.*, 667.
Electrode system, Extracochlear eight-channel—P. Banfai, G. Hortmann, S. Kubik, A. Karczag, P. Lüers and W. Sürth. *Orig. Art.*, 549.
Electroneurography, Facial—J. Gavilán, C. Gavilán and M. J. Sarriá. *Orig. Art.*, 1085.
Electroneuronography, Facial—J. Redhead and T. Mugliston. *Orig. Art.*, 369.
Elongated styloid process as a cause of throat discomfort, The—P. Lindeman. *Clin. Rec.*, 505.
Embolization, Preoperative, in paediatric maxillofacial haemangiomas—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
Endaural cerebral hernia—R. T. Ramsden, A. Latif, R. H. Lye and J. E. M. Dutton. *Orig. Art.*, 643.
Endoscopic diathermy and resection in the surgical treatment of pharyngeal diverticula, Comparison of—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
Enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa, The—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
ENT manifestations of systemic vasulitis, The—C. H. Bulman, R. J. Kane and V. N. Srivastva. *Clin. Rec.*, 941.
E.N.T. practice, The role of fibreoptic oesophagogastroscopy in—A. J. G. Batch. *Orig. Art.*, 783.
Eosinophilic granuloma of the temporal bone—M. Fradis, L. Podoshin, J. Ben-David and A. Grishkan. *Clin. Rec.*, 475.
Epiglottitis, Chronic non-specific granulomatous—D. B. Mitcell and A. B. Drake-Lee. *Clin. Rec.*, 1305.
Epiglottitis in adults not due to haemophilus, Acute—G. A. Russell, G. A. Gresham and D. G. D. Wight. *Clin. Rec.*, 1035.
Epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps, The management of severe recurrent—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
Epistaxis in pregnancy, Life-threatening—D. J. Howard. *Clin. Rec.*, 95.
Epistaxis, The value of X-ray examination of the paranasal sinuses after—T. Vimpel, J. U. Felding and P. Bonding. *Orig. Art.*, 253.
Epistaxis treated by arterial ligation, An evaluation and clinical study of severe—E. T. M. Cooke. *Orig. Art.*, 745.
Epstein-Barr virus in nasopharyngeal carcinoma, Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
Esthesioneuroblastoma, Olfactory groove meningioma following radiation therapy for—H. J. Zirkin, M. Puterman, F. Tovi and P. Tiberin. *Clin. Rec.*, 1025.
Ethmoid bone, Primary Ewing's sarcoma of the—D. J. Howard and V. J. Lund. *Clin. Rec.*, 1019.
Evaluation and clinical study of severe epitaxis treated by arterial ligation, An—E. T. M. Cooke. *Orig. Art.*, 745.
Ewing's sarcoma of the ethmoid bone, Primary—D. J. Howard and V. J. Lund. *Clin. Rec.*, 1019.
Experimental adenocarcinoma in mice, Lactate dehydrogenase in human maxillary adenocarcinoma and in—W. Gołąbek and L. M. Franks *Orig. Art.*, 171.
Experimental investigation of temperature gradients in the inner ear following Argon laser exposure—T. Ricci and M. Mazzoni. *Orig. Art.*, 359.
External auditory meatus, Air pressure changes in the—M. Nolan, D. J. Lyon and C. L. L. Mok. *Orig. Art.*, 315.
External auditory meatus and middle ear, Carcinoma of the—P. M. Stell and M. S. McCormick. *Orig. Art.*, 847.
External auditory meatus, Benign necrotizing osteitis of the—R. Youngs and D. Willatt. *Clin. Rec.*, 805.
External ear, Congenital absence of the palatine tonsil associated with congenital malformation of the—D. S. Grewal, N. L. Hiranandani and J. S. Kalgutkar. *Clin. Rec.*, 285.
Extracochlear eight-channel electrode system—P. Banfai, G. Hortmann, S. Kubik, A. Karczag, P. Lüers and W. Sürth. *Orig. Art.*, 549.
Extra-nasopharyngeal extension of juvenile angiofibroma—P. Hazarika, R. G. Nayak and M. Chandran. *Clin. Rec.*, 813.

Facial cutaneous flaps, The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
Facial electroneurography—J. Gavilán, C. Gavilán and M. J. Sarriá. *Orig. Art.*, 1085.

Facial electroneuronography—J. Redhead and T. Mugliston. *Orig. Art.*, 369.
Facial palsy due to myeloma of the temporal bone—G. R. Shone. *Clin. Rec.*, 907.
Facial palsy following stapedectomy—Y. Zohar and N. Laurian. *Clin. Rec.*, 387.
Facial paralysis, A benign middle-ear adenoma producing—J. R. Knight and D. A. Bowdler. *Clin. Rec.*, 809.
Facial paralysis, BIPP allergy causing—P. H. Jones. *Clin. Rec.*, 389.
Failure of intubation in acute inflammatory airway obstruction in childhood—P. J. Robb. *Orig. Art.*, 993.
Fenestration: A twenty-five-year evaluation—D. N. Brooks. *Orig. Art.*, 225.
Fibre optic guided nasal intubation—shouldn't we be the experts?—M. J. Gleeson, M. Z. Siodlak and C. L. Wengraf. *Orig. Art.*, 775.
Fibrebronchoscope for examining the larynx, The out-patient use of the—J. P. Donnelly. *Orig. Art.*, 793.
Fibreoptic nasopharyngoscopy in nasopharyngeal carcinoma (NPC), The role of—M. S. Shanmugham. *Orig. Art.*, 779.
Fibreoptic oesophagogastroscopy in E.N.T. practice, The role of—A. J. G. Batch. *Orig. Art.*, 783.
Fibreoptic rhinolaryngoscope, The flexible—J. M. Lancer and A. A. Moir. *Orig. Art.*, 767.
Fibreoptic rhinolaryngoscopy, Flexible—J. M. Lancer and A. S. Jones. *Orig. Art.*, 771.
Fibrodysplasia ossificans progressiva presenting acutely as a submandibular swelling—D. A. Jonathan and A. F. Jefferis. *Clin. Rec.*, 721.
Fibromatosis of the tonsillar fossa, Aggressive—K. Kwong. *Clin. Rec.*, 411.
First branchial groove anomaly—E. Thisted. *Clin. Rec.*, 901.
Fistula, Acoustic trauma and perilymph—A. Narula and N. J. Marks. *Clin. Rec.*, 909.
Fistula, Perilymph—L. M. Flood, J. G. Fraser, J. W. P. Hazell and M. P. Rothera. *Orig. Art.*, 671.
Fistulae, Post-laryngectomy pharyngo-cutaneous—S. E. Kent, K. C. Liu and A. R. Das Gupta. *Orig. Art.*, 1005.
Five-year follow-up of preformed, autologous ossicles in tympanoplasty, A—A. Tjellström and T. Albrektsson. *Orig. Art.*, 729.
Flexible fibreoptic rhinolaryngoscope, The—J. M. Lancer and A. A. Moir. *Orig. Art.*, 767.
Flexible fibreoptic rhinolaryngoscopy—J. M. Lancer and A. S. Jones. *Orig. Art.*, 771.
Floor of the mouth, Carcinoma of the—O. H. Shaheen. *Orig. Art.*, 881.
Foreign bodies and dementia—A. C. Robinson and G. Radcliffe. *Clin. Rec.*, 609.
Foreign body, Misleading normal findings after the inhalation of a radio-opaque—B. V. Osborne and J. E. Osborne. *Clin. Rec.*, 1171.
Fronto-ethmoidal region, A cranio-facial approach to large osteomas of the—T. A. H. Mugliston and N. Stafford. *Orig. Art.*, 979.

Giant cell arteritis, Lingual claudication and necrosis as a complication of—D. A. Bowdler and J. R. Knight. *Clin. Rec.*, 417.
Glioma, Nasal—P. J. Bradley and S. D. Singh. *Orig. Art.*, 247.
Glottoscopy, inferior, Laryngostroboscopic observations by means of—C. Salimbeni and E. Alajmo. *Orig. Art.*, 801.
Glue ear, Causes of—N. Black. *Orig. Art.*, 953.
Goode T-Tube, Long-term ventilation of the middle ear using the—M. P. Rothera and H. R. Grant. *Orig. Art.*, 335.
Grafts, middle-ear, Scanning electronic microscopy of sialit-preserved total—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
Granular cell tumours of the oesophagus and larynx—C. Toncini and C. Pesce. *Clin. Rec.*, 1301.
Granulomatous epiglottitis, Chronic non-specific—D. B. Mitchell and A. B. Drake-Lee. *Clin. Rec.*, 1305.
Graves' disease, Transantral orbital decompression in the treatment of—B. Grahne, B.-A. Lamberg, J. Rinne, R. Pelkonen, M. Liesmaa and V. Tommila. *Orig. Art.*, 865.
Guinea pig middle ear, The effect of bath water, sea water and swimming pool water on the—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
Guinea pig, Ultrastructural features of the myelin sheath of Scarpa's ganglion cells in the adult—M. Penna and F. Rossi. *Orig. Art.*, 363.

Haemangioma of the larynx, Persistent cavernous,—a pregnancy problem—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
Haemangioma of the mandible—W. A. McIntosh, J. F. Lownie and B. M. Berezowski. *Clin. Rec.*, 913.
Haemangiomas, paediatric maxillofacial, Preoperative embolization in—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
Haemophilus, Acute epiglottitis in adults not due to—G. A. Russell, G. A. Gresham and D. G. D. Wight. *Clin. Rec.*, 1035.
Head and neck cancer, Palliation in—H. J. Shaw. *Orig. Art.*, 1131.
Head and neck, Osteomyelitis in the—A. J. M. Balm, R. M. Tiwari and Th. B. M. de Rijcke. *Clin. Rec.*, 1059.

Head and neck, Pseudotumoral mycobacterial infection in the,: A clinical study—T. H. J. Lesser, A. F. Jefferis and H. J. Shaw. *Orig. Art.*, 277.
Head and neck region, Spent-bullet injuries in the—M. R. Khan, N. Yousaf, M. Khan and Y. Shahdin. *Clin. Rec.*, 1319.
Head and neck, Unusual sites of schwannoma in the—A. Samet, L. Podoshin, M. Fradis, J. Simon, N. Lazarov and H. Boss. *Clin. Rec.*, 523.
Healing of CO_2 laser wounds of the larynx, The—R. M. D. Tranter, J. W. Frame and R. M. Browne. *Orig. Art.*, 895.
Hearing-loss due to inner ear malformation, Congenital neural—I. Brama. *Clin. Rec.*, 293.
Hemifacial spasm: Operative treatment—H. Ludman and D. I. Choa. *Orig. Art.*, 239.
Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps, The management of severe recurrent epistaxis due to—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
Hernia, Endaural cerebral—R. T. Ramsden, A. Latif, R. H. Lye and J. E. M. Dutton. *Orig. Art.*, 643.
Hibernoma, Cervical—S. Kristensen. *Clin. Rec.*, 1055.
Histamine, Adenoid, and its possible relationship to secretory otitis media—M. P. Collins, M. K. Church, K. N. Bakhshi and J. Osborne. *Orig. Art.*, 685.
Histiocytoma of maxilla following radiotherapy for bilateral retinoblastoma, Malignant fibrous—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
Histochemical study of cartilage autografts in tympanoplasty—S. Elwany. *Orig. Art.*, 637.
Histopathological assessment of a cochlear implant in the cat, An animal model of acute otitis media and the—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]—I. Friedmann, E. Spellacy, J. Crow and R. W. E. Watts. *Orig. Art.*, 29.
Histopathology of the stapes in osteogenesis imperfecta—U. Pedersen, F. Melsen, O. Elbrønd and P. Charles. *Orig. Art.*, 451.
Human brucellosis, Ear involvement in—J. Elidan, J. Michel, I. Gay and H. Springer. *Clin. Rec.*, 289.
Human maxillary adenocarcinoma, Lactate dehydrogenase in, and in experimental adenocarcinoma in mice—W. Gołąbek and L. M. Franks. *Orig. Art.*, 171.
Human mesotympanic middle ear mucosa, Delayed ultrastructural radiation induced changes in the—S. Elwany. *Orig. Art.*, 343.
Hurler's disease [Mucopolysaccharidosis (MPS) IH], Histopathological studies of the temporal bones in—I. Friedmann, E. Spellacy, J. Crow and R. W. E. Watts. *Orig. Art.*, 29.
Hyalase, treatment with, Oral Submucous Fibrosis—P. K. Kakar, R. K. Puri and V. P. Venkatachalam. *Orig. Art.*, 57.
Hypopharyngeal carcinoma, Synchronous parotid tumors of different histiological types in association with metastasizing—D. Meikle and C. T. Yarington, Jr. *Orig. Art.*, 1261.
Hypopharynx, A leiomyosarcoma of the— B. Tommerup, C. Mogensen and A. L. Nielsen. *Clin. Rec.*, 605.
Hypopharynx, Synovial sarcoma of the—A. Cutchavaree and P. Jimakorn. *Clin. Rec.*, 205.
Hypophosphataemic osteomalacia occurring in a patient with an odontogenic tumour of the maxilla, Tumour-associated—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.

IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma, Long-term follow-up of—T.-C. Lynn, S.-M. Tu and Kawamura, Jr. *Orig. Art.*, 567.
Importance of nasal fractures during different growth periods of the nose, The—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 741.
Incus versus Plastipore PORP in ossicular chain reconstruction, Autologous fitted—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
Infants, Primary cervical neuroblastoma in—M. C. F. Smith, R. J. H. Smith and C. M. Bailey. *Clin. Rec.*, 209.
Inferior glottoscopy, Laryngostroboscopic observations by means of—C. Salimbeni and E. Alajmo. *Orig. Art.*, 801.
Inflammatory airway obstruction in childhood, Failure of intubation in acute—P. J. Robb. *Orig. Art.*, 993.
Inhalation of a radio-opaque foreign body, Misleading normal findings after the—B. V. Osborne and J. E. Osborne. *Clin. Rec.*, 1171.
Inner ear following Argon laser exposure, Experimental investigation of temperature gradients in the—T. Ricci and M. Mazzoni. *Orig. Art.*, 359.
Inner ear malformation, Congenital neural hearing-loss due to—I. Brama. *Clin. Rec.*, 293.
Intoxication, Vestibular response in denatured rape oil—C. Gavilán, J. Gavilán and A. Abril. *Orig. Art.*, 973.
Intracranial complication of cholesterol granuloma, A rare—S. W. Brodie and M. K. Chaurasia. *Clin. Rec.*, 491.
Intralaryngeal arytenoidectomy—W. Y. Nassar, S. A. A. Sadek, M. E. Baraka and P. H. Jones. *Clin. Rec.*, 513.
Intubation in acute inflammatory airway obstruction in childhood, Failure of—P. J. Robb. *Orig. Art.*, 993.
Invasive differentiated thyroid cancer, Conservative surgical management of—Y. Shvili, Y. Zohar, N. Buller and N. Laurian. *Orig. Art.*, 1255.

Investigation and management of petrous apex erosion, The—L. M. Flood, J. L. Kemink and M. D. Graham. *Orig. Art.*, 439.
Isolated lesion in the mastoid, Myelomatosis presenting as an—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 903.

Jaw, Myxoma of the—P. Chatterji, N. K. Soni and B. K. Agarwal. *Clin. Rec.*, 391.
Juvenile angiofibroma, Extra-nasopharyngeal extension of—P. Hazarika, R. G. Nayak and M. Chandran. *Clin. Rec.*, 813.
Juvenile Menière's disease—R. Filipo and M. Barbara. *Clin. Rec.*, 193.

Kikuchi's—a new cause of cervical lymphadenopathy—M. J. Gleeson, M. Z. Siodlak, C. Barbatis and N. Y. Salama. *Clin. Rec.*, 935.

Lactate dehydrogenase in human maxillary adenocarcinoma and in experimental adenocarcinoma in mice—W. Gołąbek and L. M. Franks. *Orig. Art.*, 171.
Laryngeal amyloidosis, Clinical implications of—K. Graamans and H. Lubsen. *Clin. Rec.*, 617.
Laryngeal bilharzia—H. H. Toppozada. *Clin. Rec.*, 1039.
Laryngeal cancer, Multiple primary tumours in—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
Laryngeal microsurgery with the Carbon Dioxide laser—J. A. S. Carruth. *Orig. Art.*, 573.
Laryngectomy, Radiological assessment of pharyngeal integrity after total—W. A. McIntosh. *Orig. Art.*, 1245.
Laryngectomy, Reconstructive—E. Alajmo, G. Polli and C. Salimbeni. *Orig. Art.*, 463.
Laryngectomy, Tracheostomal stenosis following total—V. H. Balle and P. Bretlau. *Orig. Art.*, 577.
Laryngectomy with myo-mucosal valved neoglottis, Near-total—W. Singh and P. Hardcastle. *Orig. Art.*, 581.
Laryngitis, Tuberculous,—a one year harvest—R. Gertler and L. Ramages. *Orig. Art.*, 1119.
Laryngopharynx, The thyroid gland in the management of carcinoma of the larynx and—S. Bahadur, S. Iyer and S. K. Kacker. *Orig. Art.*, 1251.
Laryngostroboscopic observations by means of inferior glottoscopy—C. Salimbeni and E. Alajmo. *Orig. Art.*, 801.
Larynx and laryngopharynx, The thyroid gland in the management of carcinoma of the—S. Bahadur, S. Iyer and S. K. Kacker. *Orig. Art.*, 1251.
Larynx and pyriform fossa, The enigma of post-radiation oedema and residual or recurrent carcinoma of the—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
Larynx, Granular cell tumours of the oesophagus and—C. Toncini and C. Pesce. *Clin. Rec.*, 1301.
Larynx occurring metachronously, Squamous cell carcinoma and liposarcoma of the—A. Narula and A. F. Jefferis. *Clin. Rec.*, 509.
Larynx, Persistent cavernous haemangioma of the,—a pregnancy problem—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
Larynx, Pleomorphic adenoma of the—M. S. Zakzouk. *Clin. Rec.*, 611.
Larynx, Spindle cell squamous carcinoma of the—G. Recher. *Orig. Art.*, 871.
Larynx, Subglottic plasmacytoma of the,: an acute presentation—P. K. Gormley, W. J. Primrose and H. Bharucha. *Clin. Rec.*, 925.
Larynx, The healing of CO_2 laser wounds of the—R. M. D. Tranter, J. W. Frame and R. M. Browne. *Orig. Art.*, 895.
Larynx, The out-patient use of the fibrebronchoscope for examining the—J. P. Donnelly. *Orig. Art.*, 793.
Larynx, Tracheopathia osteoplastica in the—P. B. Paaske and E. Tang. *Clin. Rec.*, 305.
Laser, Carbon dioxide, Resection of the tongue with the,: 100 cases—J. A. S. Carruth. *Orig. Art.*, 887.
Laser, CO_2 surgical, in the management of bilateral vocal cord paralysis—U. Prasad. *Orig. Art.*, 891.
Laser, CO_2, wounds of the larynx, The healing of—R. M. D. Tranter, J. W. Frame and R. M. Browne. *Orig. Art.*, 895.
Latent mastoiditis in children, Acute and—T. Palva, H. Virtanen and J. Mäkinen. *Orig. Art.*, 127.
Lateral sinus thrombosis in the eighties—F. Debruyne. *Clin. Rec.*, 91.
Latissimus dorsi muscle flap for posterior scalp defects, The use of the—A. A. Narula and N. C. Breach. *Orig. Art.*, 693.
Leiomyoma of the nasal cavity—G. Lijovetzky, S. Zaarura and I. Gay. *Clin. Rec.*, 197.
Leiomyosarcoma of the hypopharynx, A—B. Tommerup, C. Mogensen and A. L. Nielsen. *Clin. Rec.*, 605.
Levator scapulae muscle flap, The—N. J. Marks and C. W. Cummings. *Orig. Art.*, 471.
Lidocaine infusion, A controlled study of the suppression of tinnitus by—E. Perucca and P. Jackson. *Orig. Art.*, 657.
Lidocaine on tinnitus, A comparison of the effects of eighth nerve section with—P. Jackson. *Orig. Art.*, 663.
Lidocaine on tinnitus in non-hearing ears, Electrocochleographic findings and the effects of—P. Jackson. *Orig. Art.*, 667.
Life-threatening epistaxis in pregnancy—D. J. Howard. *Clin. Rec.*, 95.

Lightning-induced acoustic rupture of the tympanic membrane—S. Kristensen and K. Tveteràs. *Clin. Rec.*, 711.
Lingual claudication and necrosis as a complication of giant cell arteritis—D. A. Bowdler and J. R. Knight. *Clin. Rec.*, 417.
Lipoid proteinosis, Radiological findings in—Y. M. Yakout, S. Elwany, A. Abdel-Kreem and S. Abou Seif. *Orig. Art.*, 259.
Lipoma presenting as airways obstruction, Middle-ear—H. R. Stegehuis, A. M. Guy and K. R. Anderson. *Clin. Rec.*, 589.
Liposarcoma of the larynx occurring metachronously, Squamous cell carcinoma and—A. Narula and A. F. Jefferis. *Clin. Rec.*, 509.
Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
Long-term ventilation of the middle ear using the Goode T-Tube—M. P. Rothera and H. R. Grant. *Orig. Art.*, 335.
Lymphadenopathy, Kikuchi's—a new cause of cervical—M. J. Gleeson, M. Z. Siodlak, C. Barbatis and N. Y. Salama. *Clin. Rec.*, 935.
Lymphangiectatic fibrous polyp of the palatine tonsil—F. Hiraide, T. Inouye and E. Tanaka. *Clin. Rec.*, 403.
Lymphangioma of the tonsil, Polypoid—S. M. Al Samarrae, S. S. Amr and V. J. Hyams. *Clin. Rec.*, 819.

Malignancy in the maxillary sinus, Co-existing tuberculosis and—V. Vrat, P. S. Saharia and M. Nayyer. *Clin. Rec.*, 397.
Malignant external otitis (MEO), The radionuclide diagnosis, evaluation and follow-up of—I. Garty, G. Rosen and Y. Holdstein. *Orig. Art.*, 109.
Malignant fibrous histiocytoma of maxilla following radiotherapy for bilateral retinoblastoma—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
Malignant melanoma of the nose, Metachranous chondrosarcoma and—R. P. E. Barton. *Clin. Rec.*, 497.
Malignant transformation, Dermal type cylindroma of the parotid gland with—P. G. Liavaag and G. Bang. *Clin. Rec.*, 1049.
Management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps, The—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
Mandible, Haemangioma of the—W. A. McIntosh, J. F. Lownie and B. M. Berezowski. *Clin. Rec.*, 913.
Mandibular reconstruction, Aspects of—R. A. Hodge, R. N. Matthews, J. Eyre, D. M. Davies and G. P. Walsh-Waring. *Orig. Art.*, 1097.
Mastoid abscess, The changing pattern of—O. Odetoyinbo. *Orig. Art.*, 1081.
Mastoid, Myelomatosis presenting as an isolated lesion in the—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 903.
Mastoid surgery, Drill-generated noise levels in—M. G. Spencer and A. Reid. *Orig. Art.*, 967.
Mastoiditis in children, Acute and latent—T. Palva, H. Virtanen and J. Mäkinen. *Orig. Art.*, 127.
Maxilla following radiotherapy for bilateral retinoblastoma, Malignant fibrous histiocytoma of—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
Maxilla, odontogenic tumour of the, Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
Maxillary adenocarcinoma, Lactate dehydrogenase in human, and in experimental adenocarcinoma in mice—W. Gołąbek and L. M. Franks. *Orig. Art.*, 171.
Maxillary antrum, Mucocoeles of the—D. East. *Orig. Art.*, 49.
Maxillary sinus, Co-existing tuberculosis and malignancy in the—V. Vrat, P. S. Saharia and M. Nayyer. *Clin. Rec.*, 397.
Maxillary sinus, Metastatic tumours in the—S. E. Kent and B. Majumdar. *Orig. Art.*, 459.
Maxillary sinusitis, Relevance of the conventional Waters' view in evaluating chronic bacterial—S. Elwany, A. Abdel-Kreim and M. Talaat. *Orig. Art.*, 1233.
Maxillofacial haemangiomas, Preoperative embolization in paediatric—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
Melanoma of the nose, Metachranous chondrosarcoma and malignant—R. P. E. Barton. *Clin. Rec.*, 497.
Menière's disease, Juvenile—R. Filipo and M. Barbara. *Clin. Rec.*, 193.
Menière's disease, Otorrhoea as a presenting feature of a spontaneous round window rupture in a patient with—A. C. Swift. *Clin. Rec.*, 1009.
Meningioma of the nose and paranasal sinuses, Ectopic—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
Meningioma, Olfactory groove, following radiation therapy for esthesioneuroblastoma—H. J. Zirkin, M. Puterman, F. Tovi and P. Tiberin. *Clin. Rec.*, 1025.
Mesotympanic middle ear mucosa, Delayed ultrastructural radiation induced changes in the human—S. Elwany. *Orig. Art.*, 343.
Metachranous chondrosarcoma and malignant melanoma of the nose—R. P. E. Barton. *Clin. Rec.*, 497.

Metastasizing hypopharyngeal carcinoma, Synchronous parotid tumors of different histiological types in association with—D. Meikle and C. T. Yarington, Jr. *Orig. Art.*, 1261.
Metastatic tumours in the maxillary sinus—S. E. Kent and B. Majumdar. *Orig. Art.*, 459.
Metastatic tumours of the temporal bone—A. Belal, Jr. *Orig. Art.*, 839.
Microscopy of sialit-preserved total middle-ear grafts, Scanning electronic—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
Microsurgery with the Carbon Dioxide laser, Laryngeal—J. A. S. Carruth. *Orig. Art.*, 573.
Microsurgical reconstruction of the trachea in rats—S. A. Moussa and D. A. French. *Orig. Art.*, 61.
Middle-ear adenoma producing facial paralysis, A benign—J. R. Knight and D. A. Bowdler. *Clin. Rec.*, 809.
Middle ear, Carcinoma of the external auditory meatus and—P. M. Stell and M. S. McCormick. *Orig. Art.*, 847.
Middle-ear grafts, Scanning electronic microscopy of sialit-preserved total—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
Middle-ear lipoma presenting as airways obstruction—H. R. Stegehuis, A. M. Guy and K. R. Anderson. *Clin. Rec.*, 589.
Middle ear mucosa, Delayed ultrastructural radiation induced changes in the human mesotympanic—S. Elwany. *Orig. Art.*, 343.
Middle ear, Osteoma of the—C. W. R. J. Cremers. *Clin. Rec.*, 383.
Middle ear, The conical cartilage of the cat's—M. A. Khalil and M. Spector. *Clin. Rec.*, 831.
Middle ear, The effect of bath water, sea water and swimming pool water on the guinea pig—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
Middle ear using the Goode T-Tube, Long-term ventilation of the—M. P. Rothera and H. R. Grant. *Orig. Art.*, 335.
Midfacial region after cancer surgery, Reconstruction of the—R. Tiwari. *Orig. Art.*, 751.
Misleading normal findings after the inhalation of a radio-opaque foreign body—B. V. Osborne and J. E. Osborne. *Clin. Rec.*, 1171.
Mouth, Carcinoma of the floor of the—O. H. Shaheen. *Orig. Art.*, 881.
Mucocoeles of the maxillary antrum—D. East. *Orig. Art.*, 49.
[Mucopolysaccharidosis (MPS) IH], Histopathological studies of the temporal bones in Hurler's disease—I. Friedmann, E. Spellacy, J. Crow and R. W. E. Watts. *Orig. Art.*, 29.
Mucosa, middle ear, Delayed ultrastructural radiation induced changes in the human mesotympanic—S. Elwany. *Orig. Art.*, 343.
Multi-channel cochlear implant patient, Telephone use by a—A. M. Brown, G. M. Clark, R. C. Dowell, L. F. A. Martin and P. M. Seligman. *Orig. Art.*, 231.
Multiple acinic cell carcinoma—H. Gustafsson and B. Carlsöö. *Clin. Rec.*, 1183.
Multiple primary tumours in laryngeal cancer—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
Multiple salivary calculi in Wharton's duct—M. G. Tepan and R. L. Rohiwal. *Clin. Rec.*, 1313.
Multiple sclerosis, Brain stem auditory evoked potentials and blink reflexes in—I. T. Ferguson, R. T. Ramsden and M. Lythgoe. *Orig. Art.*, 677.
Muscle flap, The levator scapulae—N. J. Marks and C. W. Cummings. *Orig. Art.*, 471.
Mycobacterial infection in the head and neck, Pseudotumoral,: A clinical study—T. H. J. Lesser, A. F. Jefferis and H. J. Shaw. *Orig. Art.*, 277.
Myelin sheath of Scarpa's ganglion cells in the adult guinea pig, Ultrastructural features of the—M. Penna and F. Rossi. *Orig. Art.*, 363.
Myeloma of the temporal bone, Facial palsy due to—G. R. Shone. *Clin. Rec.*, 907.
Myelomatosis presenting as an isolated lesion in the mastoid—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 903.
Myo-mucosal valved neoglottis, Near-total laryngectomy with—W. Singh and P. Hardcastle. *Orig. Art.*, 581.
Myxoma of the jaw—P. Chatterji, N. K. Soni and B. K. Agarwal. *Clin. Rec.*, 391.

Narrow band white noise stimuli of different duration but of the same intensity, Relationships between acoustic reflex patterns elicited by unfiltered white noise and—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
Nasal cavity, Leiomyoma of the—G. Lijovetzky, S. Zaarura and I. Gay. *Clin. Rec.*, 197.
Nasal fractures during different growth periods of the nose, The importance of—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 741.
Nasal fractures in children: influence on the development of the nose—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 735.
Nasal glioma—P. J. Bradley and S. D. Singh. *Orig. Art.*, 247.
Nasal intubation—shouldn't we be the experts?, Fibre optic guided—M. J. Gleeson, M. Z. Siodlak and C. L. Wengraf. *Orig. Art.*, 775.
Nasal polypectomy, an unusual complication of, Air in the ventricles:—J. E. Osborne and A. J. Parker. *Clin. Rec.*, 1275.
Nasal polyps, Blood flow in—M. Bende and K. Flisberg. *Orig. Art.*, 167.

Nasal septum complicating isolated acute sphenoiditis, Abscess of the—M. P. Collins. *Clin. Rec.*, 715.
Nasal septum, Septoplasty in unilateral atrophic rhinitis with deviated—S. C. Gupta. *Orig. Art.*, 163.
Nasal surgery, Use of a nasopharyngeal airway as an aid to easy recovery after—P. Babington and J. P. Donnelly. *Clin. Rec.*, 399.
Nasal tooth—M. G. Spencer and A. D. Couldery. *Clin. Rec.*, 1147.
Nasopharyngeal airway as an aid to easy recovery after nasal surgery, Use of a—P. Babington and J. P. Donnelly. *Clin. Rec.*, 399.
Nasopharyngeal carcinoma, Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
Nasopharyngeal carcinoma (NPC), The role of fibreoptic nasopharyngoscopy in—M. S. Shanmugham. *Orig. Art.*, 779.
Nasopharyngoscopy in nasopharyngeal carcinoma (NPC), The role of fibreoptic—M. S. Shanmugham. *Orig. Art.*, 779.
Nasopharynx, Congenital pleomorphic adenoma of the—G. Har-El, H. Y. Zirkin, F. Tovi and J. Sidi. *Clin. Rec.*, 1281.
Nasopharynx, Plasmacytoma of the—S. A. A. Sadek, T. S. Dogra, M. K. Khan, M. E. Baraka and N. N. Sidhom. *Clin. Rec.*, 1289.
Near-total laryngectomy with myo-mucosal valved neoglottis—W. Singh and P. Hardcastle. *Orig. Art.*, 581.
Neck, Assessment of bullet injuries in the—N. Stafford, J. Bagley and C. Randall. *Clin. Rec.*, 1315.
Neck, Synovial sarcomas of the—B. R. Oppedal, T. Røyne and I. Titterud. *Clin. Rec.*, 101.
Necrosis as a complication of giant cell arteritis, Lingual claudication and—D. A. Bowdler and J. R. Knight. *Clin. Rec.*, 417.
Neoglottis, Near-total laryngectomy with myo-mucosal valved—W. Singh and P. Hardcastle. *Orig. Art.*, 581.
Neural hearing-loss due to inner ear malformation, Congenital—I. Brama. *Clin. Rec.*, 293.
Neuroblastoma in infants, Primary cervical—M. C. F. Smith, R. J. H. Smith and C. M. Bailey. *Clin. Rec.*, 209.
Neurofibroma of the stapedial nerve, Tactile—H. Van Goethem, I. Friedmann and J. Marquet. *Clin. Rec.*, 187.
Neurogenic sarcoma of the nose, Solitary—A. S. High and N. J. Kay. *Clin. Rec.*, 1151.
Nine-year study of ear disease in Australian Aboriginal children, A—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
Noise levels in mastoid surgery, Drill-generated—M. G. Spencer and A. Reid. *Orig. Art.*, 967.
Non-tuberculous retropharyngeal abscess in adults, Acute—T. B. Raj and A. P. Zarod. *Clin. Rec.*, 1297.
Nose and paranasal sinuses, Ectopic meningioma of the—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
Nose, influence on the development of the, Nasal fractures in children:—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 735.
Nose, Metachranous chondrosarcoma and malignant melanoma of the—R. P. E. Barton. *Clin. Rec.*, 497.
Nose, Solitary neurogenic sarcoma of the—A. S. High and N. J. Kay. *Clin. Rec.*, 1151.
Nose, The importance of nasal fractures during different growth periods of the—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 741.
(NPC), Nasopharyngeal carcinoma, The role of fibreoptic nasopharyngoscopy in—M. S. Shanmugham. *Orig. Art.*, 779.
Nystagmus, congenital, Acoustic brainstem electrical responses in—A. E. Davis, A. R. Maw and M. Coleman. *Orig. Art.*, 147.

Odontogenic tumour of the maxilla, Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
Oedema and residual or recurrent carcinoma of the larynx and pyriform fossa, The enigma of post-radiation—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
Oesophagogastroscopy in E.N.T. practice, The role of fibreoptic—A. J. G. Batch. *Orig. Art.*, 783.
Oesophagus and larynx, Granular cell tumours of the—C. Toncini and C. Pesce. *Clin. Rec.*, 1301.
Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma—H. J. Zirkin, M. Puterman, F. Tovi and P. Tiberin. *Clin. Rec.*, 1025.
Oral Submucous Fibrosis—treatment with hyalase—P. K. Kakar, R. K. Puri and V. P. Venkatachalam. *Orig. Art.*, 57.
Orbital apex syndrome due to rhinoscleroma—R. C. Nayar, R. P. Mathur, A. Gulati and S. B. S. Mann. *Clin. Rec.*, 597.
Orbital decompression in the treatment of Graves' disease, Transantral—B. Grahne, B.-A. Lamberg, J. Rinne, R. Pelkonen, M. Liesmaa and V. Tommila. *Orig. Art.*, 865.
Organ of Corti, Cross-links between stereocilia in the human—P. H. Rhys Evans, S. D. Comis, M. P. Osborne, J. O. Pickles and D. J. R. Jeffries. *Orig. Art.*, 11.
Oropharyngeal anthrax—N. Navacharoen, T. Sirisanthana, W. Navacharoen and K. Ruckphaopunt. *Clin. Rec.*, 1293.

Ossicular chain interruption with present acoustic reflex—M. Roberto and F. Zito. *Clin. Rec.*, 85.
Ossicular chain reconstruction, Autologous fitted incus versus Plastipore PORP in—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
Ossicles in tympanoplasty, A five-year follow-up of preformed, autologous—A. Tjellström and T. Albrektsson. *Orig. Art.*, 729.
Osteitis, Benign necrotizing, of the external auditory meatus—R. Youngs and D. Willatt. *Clin. Rec.*, 805.
Osteogenesis imperfecta, Histopathology of the stapes in—U. Pedersen, F. Melsen, O. Elbrønd and P. Charles. *Orig. Art.*, 451.
Osteoma of the middle ear—C. W. R. J. Cremers. *Clin. Rec.*, 383.
Osteomalacia, hypophosphataemic, occurring in a patient with an odontogenic tumour of the maxilla, Tumour-associated—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
Osteomas of the fronto-ethmoidal region, A cranio-facial approach to large—T. A. H. Mugliston and N. Stafford. *Orig. Art.*, 979.
Osteomyelitis in the head and neck—A. J. M. Balm, R. M. Tiwari and Th. B. M. de Rijcke. *Clin. Rec.*, 1059.
Otitis media, acute purulent, Bacteriological features and chemotherapy of adult—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
Otitis media, Adenoid histamine and its possible relationship to secretory—M. P. Collins, M. K. Church, K. N. Bakhshi and J. Osborne. *Orig. Art.*, 685.
Otitis media and the histopathological assessment of a cochlear implant in the cat, An animal model of acute—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
Otitis media with cholesteatoma, The choice of techniques for the surgery of chronic—M. Portmann. *Orig. Art.*, 533.
Otoconia, Comparative crystallography of vertebrate—E. A. Rosauer and J. R. Redmond. *Orig. Art.*, 21.
Otomycosis—A continuing problem—T. Mugliston and G. O'Donoghue. *Orig. Art.*, 327.
Otorrhoea as a presenting feature of a spontaneous round window rupture in a patient with Menière's disease—A. C. Swift. *Clin. Rec.*, 1009.
Otosclerosis, The doubtful value of tympanometry in the diagnosis of—G. G. Browning, I. R. C. Swan and S. Gatehouse. *Orig. Art.*, 545.
Out-patient use of the fibrebronchoscope for examining the larynx, The—J. P. Donnelly. *Orig. Art.*, 793.
Overdosage, Electrocochleographic changes in acute salicylate—R. T. Ramsden, A. Latif and S. O'Malley. *Clin. Rec.*, 1269.

Paediatric maxillofacial haemangiomas, Preoperative embolization in—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
Palatine tonsil associated with congenital malformation of the external ear, Congenital absence of the—D. S. Grewal, N. L. Hiranandani and J. S. Kalgutkar. *Clin. Rec.*, 285.
Palatine tonsil, Lymphangiectatic fibrous polyp of the—F. Hiraide, T. Inouye and E. Tanaka. *Clin. Rec.*, 403.
Palliation in head and neck cancer—H. J. Shaw. *Orig. Art.*, 1131.
Palsy following stapedectomy, Facial—Y. Zohar and N. Laurian. *Clin. Rec.*, 391.
Paraganglioma of the tympanic membrane—A. Pusalkar, E. Steinbach and D. Shah. *Clin. Rec.*, 481.
Paralysis, bilateral abductor, Thornell's approach for arytenoidectomy in the surgical treatment of—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
Paralysis, bilateral vocal cord, CO_2 surgical laser in the management of—U. Prasad. *Orig. Art.*, 891.
Paralysis, facial, BIPP allergy causing—P. H. Jones. *Clin. Rec.*, 391.
Paranasal sinuses after epistaxis, The value of X-ray examination of the—T. Vimpel, J. U. Felding and P. Bonding. *Orig. Art.*, 253.
Paranasal sinuses, Ectopic meningioma of the nose and—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
Para-oesophageal mass, An unusual—B. C. Irwin. *Clin. Rec.*, 931.
Parotid gland with malignant transformation, Dermal type cylindroma of the—P. G. Liavaag and G. Bang. *Clin. Rec.*, 1049.
Parotid tumors of different histiological types in association with metastasizing hypopharyngeal carcinoma, Synchronous—D. Meikle and C. T. Yarington, Jr. *Orig. Art.*, 1261.
Pediatric bronchoscopy, The use of dexamethasone in—B. Y. Ghorayeb and A. H. Shikhani. *Orig. Art.*, 1127.
Perforations, tympanic membrane, A clinical comparison of the results of two different methods of closing—L. Mendel and R. Kuylenstierna. *Orig. Art.*, 339.
Perichondrial lining on septal cartilage from human autopsy material, Curving effect of scarification or unilateral—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
Perilymph fistula—L. M. Flood, J. G. Fraser, J. W. P. Hazell and M. P. Rothera. *Orig. Art.*, 671.
Perilymph fistula, Acoustic trauma and—A. Narula and N. J. Marks. *Clin. Rec.*, 909.
Peripheral vertigo, Transdermal scopolamine for—T. Rahko and P. Karma. *Orig. Art.*, 653.

Persistent cavernous haemangioma of the larynx—a pregnancy problem—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
Petrous apex erosion, The investigation and management of—L. M. Flood, J. L. Kemink and M. D. Graham. *Orig. Art.*, 439
Pharyngeal diverticula, Carcinomatous changes in—M. E. Baraka and S. A. A. Sadek. *Clin. Rec.*, 297.
Pharyngeal diverticula, Comparison of endoscopic diathermy and resection in the surgical treatment of—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
Pharyngeal integrity after total laryngectomy, Radiological assessment of—W. A. McIntosh. *Orig. Art.*, 1245.
Pharyngo-cutaneous fistulae, Post-laryngectomy—S. E. Kent, K. C. Liu and A. R. Das Gupta. *Orig. Art.*, 1005.
Pharyngo-gastric anastomosis, Skin grafting of the anterior stomach wall following—D. J. Howard and V. J. Lund. *Orig. Art.*, 273.
Phycomycosis, Rhinocerebral,; combined approach therapy: case report—Y. Rakover, I. Vered, H. Garzuzi and G. Rosen. *Clin. Rec.*, 1279.
Plasmacytoma of the larynx, Subglottic,: an acute presentation—P. K. Gormley, W. J. Primrose and H. Bharucha. *Clin. Rec.*, 925.
Plasmacytoma of the nasopharynx—S. A. A. Sadek, T. S. Dogra, M. K. Khan, M. E. Baraka and N. N. Sidhom. *Clin. Rec.*, 1289.
Plastipore PORP in ossicular chain reconstruction, Autologous fitted incus versus—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
Pleomorphic adenoma of the larynx—M. S. Zakzouk. *Clin. Rec.*, 611.
Pleomorphic adenoma of the nasopharynx, Congenital—G. Har-El, H. Y. Zirkin, F. Tovi and J. Sidi. *Clin. Rec.*, 1281.
Polycystic thyroglossal duct anomaly, Branched and—F. Tovi and A. Eyal. *Clin. Rec.*, 1179.
Polypectomy, nasal, an unusual complication of, Air in the ventricles:—J. E. Osborne and A. J. Parker. *Clin. Rec.*, 1275.
Polypoid lymphangioma of the tonsil—S. M. Al Samarrae, S. S. Amr and V. J. Hyams. *Clin. Rec.*, 819.
Polyps, Blood flow in nasal—M. Bende and K. Flisberg. *Orig. Art.*, 167.
PORP in ossicular chain reconstruction, Autologous fitted incus versus Plastipore—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
Post-laryngectomy pharyngo-cutaneous fistulae—S. E. Kent, K. C. Liu and A. R. Das Gupta. *Orig. Art.*, 1005.
Post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa, The enigma of—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
Pregnancy, Life-threatening epistaxis in—D. J. Howard. *Clin. Rec.*, 95.
Pregnancy problem, A, Persistent cavernous haemangioma of the larynx—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
Preoperative embolization in paediatric maxillofacial haemangiomas—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
Pre-operative evaluation of ear malformations, Tomography in the—A. Fileni, C. Colosimo, Jr., M. Moschini, S. Malena and P. Gugliantini. *Orig. Art.*, 433.
Primary cervical neuroblastoma in infants—M. C. F. Smith, R. J. H. Smith and C. M. Bailey. *Clin. Rec.*, 209.
Primary chondroid chordoma arising from the base of the temporal bone—M. Hasegawa, W. Nishijima, I. Watanabe, M. Nasu and R. Kamiyama. *Clin. Rec.*, 485.
Primary ciliary dyskinesia, Upper airway manifestations of—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.
Primary Ewing's sarcoma of the ethmoid bone—D. J. Howard and V. J. Lund. *Clin. Rec.*, 1019.
Primary tumours in laryngeal cancer, Multiple—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
Prominent ears: A follow-up study—F. Nielsen, S. Kristensen and M. Crawford. *Orig. Art.*, 221.
Prophylaxis, Antibiotic,—a survey—C. H. Raine and A. C. Swift. *Orig. Art.*, 183.
Pseudocysts of the auricle—M. S. Shanmugham. *Clin. Rec.*, 701.
Pseudotumoral mycobacterial infection in the head and neck: A clinical study—T. H. J. Lesser, A. F. Jefferis and H. J. Shaw. *Orig. Art.*, 277.
'Pseudotumors' of the clavicle subsequent to radical neck dissection—O. Fini-Storchi, D. Lo Russo and V. Agostini. *Orig. Art.*, 73.
Pyriform fossa, The enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.

Quinsy: A bilateral presentation—S. Kristensen, A. Juul and F. Nielsen. *Clin. Rec.*, 401.

Radiation induced changes in the human mesotympanic middle ear mucosa, Delayed ultrastructural—S. Elwany. *Orig. Art.*, 343.

Radiation therapy for esthesioneuroblastoma, Olfactory groove meningioma following—H. J. Zirkin, M. Puterman, F. Tovi and P. Tiberin. *Clin. Rec.*, 1025.
Radical neck dissection, 'Pseudotumors' of the clavicle subsequent to—O. Fini-Storchi, D. Lo Russo and V. Agostini. *Orig. Art.*, 73.
Radiological assessment of pharyngeal integrity after total laryngectomy—W. A. McIntosh. *Orig. Art.*, 1245.
Radiological findings in lipoid proteinosis—Y. M. Yakout, S. Elwany, A. Abdel-Kreem and S. Abou Seif. *Orig. Art.*, 259.
Radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO), The—I. Garty, G. Rosen and Y. Holdstein. *Orig. Art.*, 109.
Radio-opaque foreign body, Misleading normal findings after the inhalation of a—B. V. Osborne and J. E. Osborne. *Clin. Rec.*, 1171.
Radiotherapy for bilateral retinoblastoma, Malignant fibrous histiocytoma of maxilla following—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
Rape oil intoxication, Vestibular response in denatured—C. Gavilán, J. Gavilán and A. Abril. *Orig. Art.*, 973.
Rare intracranial complication of cholesterol granuloma, A—S. W. Brodie and M. K. Chaurasia. *Clin. Rec.*, 491.
Rats, Microsurgical reconstruction of the trachea in—S. A. Moussa and D. A. French. *Orig. Art.*, 61.
Reconstruction after temporal bone resection—R. Tiwari. *Orig. Art.*, 143.
Reconstruction of the midfacial region after cancer surgery—R. Tiwari. *Orig. Art.*, 751.
Reconstructive laryngectomy—E. Alajmo, G. Polli and C. Salimbeni. *Orig. Art.*, 463.
Recurrent carcinoma of the larynx and pyriform fossa, The enigma of post-radiation oedema and residual or—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
Recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps, The management of severe—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
Regional facial cutaneous flaps, The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
Relationships between acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
Relevance of the conventional Waters' view in evaluating chronic bacterial maxillary sinusitis—S. Elwany, A. Abdel-Kreim and M. Talaat. *Orig. Art.*, 1233.
Remediastinoscopy—V. H. Balle and P. Bretlau. *Orig. Art.*, 267.
Resection in the surgical treatment of pharyngeal diverticula, Comparison of endoscopic diathermy and—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
Resection of the tongue with the carbon dioxide laser: 100 cases—J. A. S. Carruth. *Orig. Art.*, 887.
Resection, Reconstruction after temporal bone—R. Tiwari. *Orig. Art.*, 143.
Residual or recurrent carcinoma of the larynx and pyriform fossa, The enigma of post-radiation oedema and—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
Results of two different methods of closing tympanic membrane perforations, A clinical comparison of the—L. Mendel and R. Kuylenstierna. *Orig. Art.*, 339.
Retinoblastoma, bilateral, Malignant fibrous histiocytoma of maxilla following radiotherapy for—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
Retropharyngeal abscess in adults, Acute non-tuberculous—T. B. Raj and A. P. Zarod. *Clin. Rec.*, 1297.
Retropharyngeal abscesses in a children's hospital—L. H. Yeoh, S. D. Singh and J. H. Rogers. *Orig. Art.*, 555.
Rhabdomyosarcoma of soft palate: a case of late relapse—W. I. Wei. *Clin. Rec.*, 1029.
Rhinitis, unilateral atrophic, with deviated nasal septum, Septoplasty in—S. C. Gupta. *Orig. Art.*, 163.
Rhinocerebral phycomycosis; combined approach therapy: case report—Y. Rakover, I. Vered, H. Garzuzi and G. Rosen. *Clin. Rec.*, 1279.
Rhinolaryngoscope, The flexible fibreoptic—J. M. Lancer and A. A. Moir. *Orig. Art.*, 767.
Rhinolaryngoscopy, Flexible fibreoptic—J. M. Lancer and A. S. Jones. *Orig. Art.*, 771.
Rhinoscleroma, Orbital apex syndrome due to—R. C. Nayar, R. P. Mathur, A. Gulati and S. B. S. Mann. *Clin. Rec.*, 597.
Riedel's thyroiditis discovered at tracheostomy—M. G. Spencer. *Clin. Rec.*, 97.
Role of fibreoptic nasopharyngoscopy in nasopharyngeal carcinoma (NPC), The—M. S. Shanmugham. *Orig. Art.*, 779.
Role of fibreoptic oesophagogastroscopy in E.N.T. practice, The—A. J. G. Batch. *Orig. Art.*, 783.
Round window rupture in a patient with Menière's disease, Otorrhoea as a presenting feature of a spontaneous—A. C. Swift. *Clin. Rec.*, 1009.
Rupture of the tympanic membrane, Lightning-induced acoustic—S. Kristensen and K. Tveterås. *Clin. Rec.*, 711.
Rupture, round window, in a patient with Menière's disease, Otorrhoea as a presenting feature of a spontaneous—A. C. Swift. *Clin. Rec.*, 1009.

Salicylate overdosage, Electrocochleographic changes in acute—R. T. Ramsden, A. Latif and S. O'Malley. *Clin. Rec.*, 1269.
Salivary calculi in Wharton's duct, Multiple—M. G. Tepan and R. L. Rohiwal. *Clin. Rec.*, 1313.
Sarcoma of the hypopharynx, Synovial—A. Cutchavaree and P. Jimakorn. *Clin. Rec.*, 205.
Sarcoma of the nose, Solitary neurogenic—A. S. High and N. J. Kay. *Clin. Rec.*, 1151.
Sarcoma, Primary Ewing's, of the ethmoid bone—D. J. Howard and V. J. Lund. *Clin. Rec.*, 1019.
Sarcomas of the neck, Synovial—B. R. Oppedal, T. Røyne and I. Titterud. *Clin. Rec.*, 101.
Scalp defects, The use of the latissimus dorsi muscle flap for posterior—A. A. Narula and N. C. Breach. *Orig. Art.*, 693.
Scanning electronic microscopy of sialit-preserved total middle-ear grafts—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
Scarification or unilateral perichondrial lining on septal cartilage from human autopsy material, Curving effect of—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
Scarpa's ganglion cells in the adult guinea pig, Ultrastructural features of the myelin sheath of—M. Penna and F. Rossi. *Orig. Art.*, 363.
Schwannoma in the head and neck, Unusual sites of—A. Samet, L. Podoshin, M. Fradis, J. Simon, N. Lazarov and H. Boss. *Clin. Rec.*, 523.
Scopolamine for peripheral vertigo, Transdermal—T. Rahko and P. Karma. *Orig. Art.*, 653.
Sea water and swimming pool water on the guinea pig middle ear, The effect of bath water,—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
Secondary syphilis of the tonsils—E. A. Baarsma, B. Kazzaz and K. I. Soei. *Clin. Rec.*, 601.
Secretory otitis media, Adenoid histamine and its possible relationship to—M. P. Collins, M. K. Church, K. N. Bakhshi and J. Osborne. *Orig. Art.*, 685.
Septal cartilage from human autopsy material, Curving effect of scarification or unilateral perichondrial lining on—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
Septoplasty in unilateral atrophic rhinitis with deviated nasal septum—S. C. Gupta. *Orig. Art.*, 163.
Sialit-preserved total middle-ear grafts, Scanning electronic microscopy of—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
Sialorrhoea, Surgery of—S. L. Sellars. *Orig. Art.*, 1107.
Sinus, maxillary, Metastatic tumours in the—S. E. Kent and B. Majumdar. *Orig. Art.*, 459.
Sinus thrombosis in the eighties, Lateral—F. Debruyne. *Clin. Rec.*, 91.
Sinuses, paranasal, Ectopic meningioma of the nose and—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
Sinuses, Tracheostomy—M. S. McCormick, N. B. Sutherland and C. A. J. Prescott. *Clin. Rec.*, 1173.
Sinusitis, chronic bacterial maxillary, Relevance of the conventional Waters' view in evaluating—S. Elwany, A. Abdel-Kreim and M. Talaat. *Orig. Art.*, 1233.
Skin grafting of the anterior stomach wall following pharyngo-gastric anastomosis—D. J. Howard and V. J. Lund. *Orig. Art.*, 273.
Soft palate, Rhabdomyosarcoma of,: A case of late relapse—W. I. Wei. *Clin. Rec.*, 1029.
Solitary neurogenic sarcoma of the nose—A. S. High and N. J. Kay. *Clin. Rec.*, 1151.
Spasm, Hemifacial,: Operative treatment—H. Ludman and D. I. Choa. *Orig. Art.*, 239.
Spent-bullet injuries in the head and neck region—M. R. Khan, N. Yousaf, M. Khan and Y. Shahdin. *Clin. Rec.*, 1319.
Sphenoiditis, Abscess of the nasal septum complicating isolated acute—M. P. Collins. *Clin. Rec.*, 715.
Spindle cell squamous carcinoma of the larynx—G. Recher. *Orig. Art.*, 871.
Spondylosis, Dysphagia due to cervical—J. A. Crowther and G. M. Ardran. *Clin. Rec.*, 1167.
Spontaneous round window rupture in a patient with Menière's disease, Otorrhoea as a presenting feature of a—A. C. Swift. *Clin. Rec.*, 1009.
Squamous cell carcinoma and liposarcoma of the larynx occurring metachronously—A. Narula and A. F. Jefferis. *Clin. Rec.*, 509.
Squamous odontogenic tumour—S. Kristensen, J. Andersen and P. Jacobsen. *Clin. Rec.*, 919.
Stapedectomy, Facial palsy following—Y. Zohar and N. Laurian. *Clin. Rec.*, 387.
Stapedial nerve, Tactile neurofibroma of the—H. Van Goethem, I. Friedmann and J. Marquet. *Clin. Rec.*, 187.
Stapes in osteogenesis imperfecta, Histopathology of the—U. Pedersen, F. Melsen, O. Elbrønd and P. Charles. *Orig. Art.*, 451.
Stenosis, Aqueductal,—Results of vestibular function tests—M. Suzuki, Y. Harada, M. Ishida, H. Wada, M. Ohta, K. Sakoda and T. Uozumi. *Orig. Art.*, 151.
Stereocilia in the human organ of Corti, Cross-links between—P. H. Rhys Evans, S. D. Comis, M. P. Osborne, J. O. Pickles and D. J. R. Jeffries. *Orig. Art.*, 11.
Strobofibrescopic colour video recording of vocal fold vibration—Y. Yoshida, M. Hirano, T. Yoshida and O. Tateishi. *Orig. Art.*, 795.

Subglottic plasmacytoma of the larynx: an acute presentation—P. K. Gormley, W. J. Primrose and H. Bharucha. *Clin. Rec.*, 925.
Submandibular duct transposition, Treatment of the drooling child by—C. M. Bailey and P. V. Wadsworth. *Orig. Art.*, 1111.
Submandibular swelling, Fibrodysplasia ossificans progressiva presenting acutely as a—D. A. Jonathan and A. F. Jefferis. *Clin. Rec.*, 721.
Suboccipital approach in the removal of acoustic neuromas—A. R. Welch and J. D. K. Dawes. *Orig. Art.*, 1217.
Suppression of tinnitus by lidocaine infusion, A controlled study of the—E. Perucca and P. Jackson. *Orig. Art.*, 657.
Surgery of chronic otitis media with cholesteatoma, The choice of techniques for the—M. Portmann. *Orig. Art.*, 533.
Surgery of sialorrhoea—S. L. Sellars. *Orig. Art.*, 1107.
Surgical treatment of bilateral abductor paralysis, Thornell's approach for arytenoidectomy in the—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
Surgical treatment of cholesteatomatous ear disease—T. Palva. *Orig. Art.*, 539.
Surgical treatment of pharyngeal diverticula, Comparison of endoscopic diathermy and resection in the—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
Swimming pool water on the guinea pig middle ear, The effect of bath water, sea water and—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
Synchronous parotid tumors of different histiological types in association with metastasizing hypopharyngeal carcinoma—D. Meikle and C. T. Yarington, Jr. *Orig. Art.*, 1261.
Synovial sarcoma of the hypopharynx—A. Cutchavaree and P. Jimakorn. *Clin. Rec.*, 205.
Synovial sarcomas of the neck—B. R. Oppedal, T. Røyne and I. Titterud. *Clin. Rec.*, 101.
Syphilis of the tonsils, Secondary—E. A. Baarsma, B. Kazzaz and K. I. Soei. *Clin. Rec.*, 601.
Systemic vasculitis, The ENT manifestations of—C. H. Bulman, R. J. Kane and V. N. Srivastva. *Clin. Rec.*, 941.

Tactile neurofibroma of the stapedial nerve—H. Van Goethem, I. Friedmann and J. Marquet. *Clin. Rec.*, 187.
Telephone use by a multi-channel cochlear implant patient—A. M. Brown, G. M. Clark, R. C. Dowell, L. F. A. Martin and P. M. Seligman. *Orig. Art.*, 231.
Temperature gradients in the inner ear following Argon laser exposure, Experimental investigation of—T. Ricci and M. Mazzoni. *Orig. Art.*, 359.
Temporal bone, Eosinophilic granuloma of the—M. Fradis, L. Podoshin, J. Ben-David and A. Grishkan. *Clin. Rec.*, 475.
Temporal bone, Facial palsy due to myeloma of the—G. R. Shone. *Clin. Rec.*, 907.
Temporal bone, Metastatic tumours of the—A. Belal, Jr. *Orig. Art.*, 839.
Temporal bone, Primary chondroid chordoma arising from the base of the—M. Hasegawa, W. Nishijima, I. Watanabe, M. Nasu and R. Kamiyama. *Clin. Rec.*, 485.
Temporal bone resection, Reconstruction after—R. Tiwari. *Orig. Art.*, 143.
Temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH], Histopathological studies of the—I. Friedmann, E. Spellacy, J. Crow and R. W. E. Watts. *Orig. Art.*, 29.
Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
Throat discomfort, The elongated styloid process as a cause of—P. Lindeman. *Clin. Rec.*, 505.
Thrombosis in the eighties, Lateral sinus—F. Debruyne. *Clin. Rec.*, 91.
Thyroglossal duct anomaly, Branched and polycystic—F. Tovi and A. Eyal. *Clin. Rec.*, 1179.
Thyroid cancer, Conservative surgical management of invasive differentiated—Y. Shvili, Y. Zohar, N. Buller and N. Laurian. *Orig. Art.*, 1255.
Thyroid gland in the management of carcinoma of the larynx and laryngopharynx, The—S. Bahadur, S. Iyer and S. K. Kacker. *Orig. Art.*, 1251.
Thyroiditis discovered at tracheostomy, Riedel's—M. G. Spencer. *Clin. Rec.*, 97.
Tinnitus, A comparison of the effects of eighth nerve section with lidocaine on—P. Jackson. *Orig. Art.*, 663.
Tinnitus by lidocaine infusion, A controlled study of the suppression of—E. Perucca and P. Jackson. *Orig. Art.*, 657.
Tinnitus in non-hearing ears, Electrocochleographic findings and the effects of lidocaine on—P. Jackson. *Orig. Art.*, 667.
Tinnitus, Measurement and management of—R. R. A. Coles, J. L. Baskill and J. B. Sheldrake. Part II. *Orig. Art.*, 1.
Tomography in the pre-operative evaluation of ear malformations—A. Fileni, C. Colosimo, Jr., M. Moschini, S. Malena and P. Gugliantini. *Orig. Art.*, 433.
Tongue, Resection of the, with the carbon dioxide laser: 100 cases—J. A. S. Carruth. *Orig. Art.*, 887.
Tonsil, palatine, Lymphangiectatic fibrous polyp of the—F. Hiraide, T. Inouye and E. Tanaka. *Clin. Rec.*, 403.
Tonsil, Polypoid lymphangioma of the—S. M. Al Samarrae, S. S. Amr and V. J. Hyams. *Clin. Rec.*, 819.

Tonsillar fossa, Aggressive fibromatosis of the—K. Kwong. *Clin. Rec.*, 411.
Tonsillectomy: Home after 24 hours?—R. J. Canter and J. Rogers. *Orig. Art.*, 177.
Tonsils, Secondary syphilis of the—E. A. Baarsma, B. Kazzaz and K. I. Soei. *Clin. Rec.*, 601.
Tooth, Nasal—M. G. Spencer and A. D. Couldery. *Clin. Rec.*, 1147.
Total laryngectomy, Radiological assessment of pharyngeal integrity after—W. A. McIntosh. *Orig. Art.*, 1245.
Trachea in rats, Microsurgical reconstruction of the—S. A. Moussa and D. A. French. *Orig. Art.*, 61.
Tracheopathia osteoplastica in the larynx—P. B. Paaske and E. Tang. *Clin. Rec.*, 305.
Tracheostomal stenosis following total laryngectomy—V. H. Balle and P. Bretlau. *Orig. Art.*, 577.
Tracheostomy, Riedel's thyroiditis discovered at—M. G. Spencer. *Clin. Rec.*, 97.
Tracheostomy sinuses—M. S. McCormick, N. B. Sutherland and C. A. J. Prescott. *Clin. Rec.*, 1173.
Tracheostomy tube fatigue—D. A. Bowdler and P. J. Emery. *Clin. Rec.*, 517.
Transantral orbital decompression in the treatment of Graves' disease—B. Grahne, B.-A. Lamberg, J. Rinne, R. Pelkonen, M. Liesmaa and V. Tommila. *Orig. Art.*, 865.
Transdermal scopolamine for peripheral vertigo—T. Rahko and P. Karma. *Orig. Art.*, 653.
Treatment of the drooling child by submandibular duct transposition—C. M. Bailey and P. V. Wadsworth. *Orig. Art.*, 1111.
Tuberculosis and malignancy in the maxillary sinus, Co-existing—V. Vrat, P. S. Saharia and M. Nayyer. *Clin. Rec.*, 397.
Tuberculosis, Aural,: a series of 25 patients—L. J. Ramages and R. Gertler. *Orig. Art.*, 1073.
Tuberculous laryngitis—a one year harvest—R. Gertler and L. Ramages. *Orig. Art.*, 1119.
Tumors, Synchronous parotid, of different histiological types in association with metastasizing hypopharyngeal carcinoma—D. Meikle and C. T.Yarington, Jr. *Orig. Art.*, 1261.
Tumour, Squamous odontogenic—S. Kristensen, J. Andersen and P. Jacobsen. *Clin. Rec.*, 919.
Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an odontogenic tumour of the maxilla—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
Tumours in the maxillary sinus, Metastatic—S. E. Kent and B. Majumdar. *Orig. Art.*, 459.
Tumours, Multiple primary, in laryngeal cancer—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
Tumours of the oesophagus and larynx, Granular cell—C. Toncini and C. Pesce. *Clin. Rec.*, 1301.
Tumours of the temporal bone, Metastatic—A. Belal, Jr. *Orig. Art.*, 839.
Twenty-five-year evaluation, A, Fenestration:—D. N. Brooks. *Orig. Art.*, 225.
Two cases of vallecular cyst presenting with acute stridor—D. M. Albert and Z. Ali. *Clin. Rec.*, 421.
Tympanic membrane, Lightning-induced acoustic rupture of the—S. Kristensen and K. Tveteråas. *Clin. Rec.*, 711.
Tympanic membrane, Paraganglioma of the—A. Pusalkar, E. Steinbach and D. Shah. *Clin. Rec.*, 481.
Tympanic membrane perforations, A clinical comparison of the results of two different methods of closing—L. Mendel and R. Kuylenstierna. *Orig. Art.*, 339.
Tympanometric variations induced by Vidian nerve stimulation in humans—L. Rucci, T. Pantaleo and A. Cagnoli. *Orig. Art.*, 355.
Tympanometry in the diagnosis of otosclerosis, The doubtful value of—G. G. Browning, I. R. C. Swan and S. Gatehouse. *Orig. Art.*, 545.
Tympanoplasty, A five-year follow-up of preformed, autologous ossicles in—A. Tjellström and T. Albrektsson. *Orig. Art.*, 729.
Tympanoplasty, Histochemical study of cartilage autografts in—S. Elwany. *Orig. Art.*, 637.

Ultrastructural features of the myelin sheath of Scarpa's ganglion cells in the adult guinea pig—M. Penna and F. Rossi. *Orig. Art.*, 363.
Ultrastructural radiation induced changes in the human mesotympanic middle ear mucosa, Delayed—S. Elwany. *Orig. Art.*, 343.
Unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity, Relationships between acoustic reflex patterns elicited by—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
Unilateral atrophic rhinitis with deviated nasal septum, Septoplasty in—S. C. Gupta. *Orig. Art.*, 163.
Unilateral perichondrial lining on septal cartilage from human autopsy material, Curving effect of scarification or—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
Unusual para-oesophageal mass, An—B. C. Irwin. *Clin. Rec.*, 931.
Unusual presentation of acoustic neuroma, An—R. M. Terry. *Clin. Rec.*, 593.
Unusual sites of schwannoma in the head and neck—A. Samet, L. Podoshin, M. Fradis, J. Simon, N. Lazarov and H. Boss. *Clin. Rec.*, 523.
Upper airway manifestations of primary ciliary dyskinesia—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.

Use of a nasopharyngeal airway as an aid to easy recovery after nasal surgery—P. Babington and J. P. Donnelly. *Clin. Rec.*, 399.
Use of dexamethasone in pediatric bronchoscopy, The—B. Y. Ghorayeb and A. H. Shikhani. *Orig. Art.*, 1127.
Use of the latissimus dorsi muscle flap for posterior scalp defects, The—A. A. Narula and N. C. Breach. *Orig. Art.*, 693.
Usher's syndrome type III—S. Karjalainen, M. Teräsvirta, J. Kärjä and H. Kääriäinen. *Orig. Art.*, 43.

Vallecular cyst presenting with acute stridor, Two cases of—D. M. Albert and Z. Ali. *Clin. Rec.*, 421.
Value of X-ray examination of the paranasal sinuses after epistaxis, The—T. Vimpel, J. U. Felding and P. Bonding. *Orig. Art.*, 253.
Vasculitis, systemic, The ENT manifestations of—C. H. Bulman, R. J. Kane and V. N. Srivastva. *Clin. Rec.*, 941.
Ventilation of the middle ear using the Goode T-Tube, Long-term—M. P. Rothera and H. R. Grant. *Orig. Art.*, 335.
Ventricles, Air in the,: an unusual complication of nasal polypectomy—J. E. Osborne and A. J. Parker. *Clin. Rec.*, 1275.
Vertebrate otoconia, Comparative crystallography of—E. A. Rosauer and J. R. Redmond. *Orig. Art.*, 21.
Vertigo, Transdermal scopolamine for peripheral—T. Rahko and P. Karma. *Orig. Art.*, 653.
Vestibular function tests, Aqueductal stenosis—results of—M. Suzuki, Y. Harada, M. Ishida, H. Wada, M. Ohta, K. Sakoda and T. Uozumi. *Orig. Art.*, 151.
Vestibular response in denatured rape oil intoxication—C. Gavilán, J. Gavilán and A. Abril. *Orig. Art.*, 973.
Vidian nerve stimulation in humans, Tympanometric variations induced by—L. Rucci, T. Pantaleo and A. Cagnoli. *Orig. Art.*, 355.
Viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma, Long-term follow-up of IgG and IgA antibodies against—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
Vocal cord paralysis, CO_2 surgical laser in the management of bilateral—U. Prasad. *Orig. Art.*, 891.
Vocal fold vibration, Strobofibrescopic colour video recording of—Y. Yoshida, M. Hirano, T. Yoshida and O. Tateishi. *Orig. Art.*, 795.

Waters' view in evaluating chronic bacterial maxillary sinusitis, Relevance of the conventional—S. Elwany, A. Abdel-Kreim and M. Talaat. *Orig. Art.*, 1233.
Wharton's duct, Multiple salivary calculi in—M. G. Tepan and R. L. Rohiwal. *Clin. Rec.*, 1313.
White noise, unfiltered, and narrow band white noise stimuli of different duration but of the same intensity, Relationships between acoustic reflex patterns elicited by—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.

X-ray examination of the paranasal sinuses after epistaxis, The value of—T. Vimpel, J. U. Felding and P. Bonding. *Orig. Art.*, 253.